

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	36.721 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Cancelled Debit Note is not available for adjustment	15	15	0	0	36.715 s
	Module	at Payment Settlement screen					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 36.721 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 9:28:29.081 am	// 9:29:05.802 am /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen

PASSED	DURATION - 36.715 s											1			-			,	Steps			
/ 9:28:29 087	7 am // 9:29:05.802 am /	10												1					Total - 15			
7 3.20.23.007	ann // 3.23.03.002 ann /	5	-		!					ļ 	i	į		į.		j		-	Pass - 15		15	
Check the Fu	nctionality of AR/AP Module																		Fail - 0		13	,
@KUBS_AR	AP_UAT_003_006_TC_04	0	_	<u> </u>					_ 1	<u> </u>	<u> </u>	÷.	<u> </u>	÷	-	<u> </u>	<u> </u>		Skip - 0	\ \ \		
6	3			1 :	2 3	3 4	4	5 6	3	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.997 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
	INDER STATE OF THE PARTY OF THE		
2	Then Choose the second Tab Segment	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		


	Status	Duration
Description of the state of the		
3 And Click On Main module Accounts Receivable	PASSED	0.110 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
screenshot		
Buildings State of the state o		
4 Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.426 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
Screenshot		
5 And Click On Search Icon	PASSED	0.124 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
Screenshot # Postparate property of the state of the sta		
6 Then Enter Cancelled Value In Debit Not Status	PASSED	0.273 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
screenshot		

#	Step / Hook Details	Status	Duration
	Description		
7	Then Click on Table Row First Eye Icon	PASSED	1.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
	No. 10 N		
8	And Store The Business partner and Invoice Number	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texasis** *	PASSED	0.122 s
9	And Click On Main module Accounts payable	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.183 s
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		


11 And Click Add icon button PASSED 0.214 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 12 Then Enter payment option PASSED 0.375 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 13 And Give Business partner Name PASSED 0.166 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 Then Enter payment option AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s				
screenshot 12 Then Enter payment option PASSED 0.375 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 13 And Give Business partner Name PASSED 0.287 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.166 s 14 Then Choose value date as System current date PASSED 0.152 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s	11	And Click Add icon button	PASSED	0.214 s
Ten Enter payment option PASSED 0.375 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.287 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
12 Then Enter payment option PASSED 0.375 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Give Business partner Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.287 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s 14 Then Choose value date as System current date PASSED 1.973 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Give Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s PASSED 0.152 s		2		
screenshot And Give Business partner Name AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot Then Choose value date as System current date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.973 s PASSED 0.152 s	12	Then Enter payment option	PASSED	0.375 s
And Give Business partner Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose value date as System current date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
And Give Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s				
Screenshot 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s	13	And Give Business partner Name	PASSED	0.287 s
14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.973 s 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		screenshot]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		9 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s	14	Then Choose value date as System current date	PASSED	1.973 s
screenshot		·	PASSED	0.152 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	*** ** *** *** *** *** *** *** *** ***		
15	And find the invoice reference number for cancelled DebitNote is availabe at the billing queue	PASSED	8.998 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	■ State 100 1		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION --- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

