


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	2 m 56.908 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Asset Creation	16	8	1	7	2 m 56.815 s

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

FAILED	DURATION - 2 m 56.908 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:04:17.677 A	M // 1:07:14.585 AM /	Pass - 0	1	Pass - 8	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Asset Creation




#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.177 s
	screenshot		
	The state of the s		
2	And user should navigate to fixed asset menu	PASSED	1.726 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		

Men click on eye button of asset creation	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click on add button to create asset record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.499 s 0.612 s 2.171 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot				
screenshot And click on add button to create asset record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3		PASSED	
And click on add button to create asset record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.946 s
And click on add button to create asset record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed passed 2.171 s PASSED 0.612 s 0.612 s				
Screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	4	And click on add button to create asset record	PASSED	0.499 s
5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions PASSED 0.347 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.612 s
5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The passed in the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Output Description: Output Des		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.347 s				
Screenshot	5	And Fill the required fields to create asset	PASSED	2.171 s
B C CONTROLLED STATE OF THE STA		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
9		screenshot		
Note 1				
6 Then Save and submit the asset creation record PASSED 16.667 s	6	Then Save and submit the asset creation record	PASSED	16.667 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
		screenshot		


#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	17.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		
	The Continue of the Continue o		
8	Then Click on notification button in reviewer	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.584 s
	Screenshot *** *** *** *** *** *** *** *** ***		
9	And approve the record by reviewer user	FAILED	3.645 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-yph-c290="" aria-disabled="true" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" disabled="" ng-reflect-disabled="true"></ion-button> is not clickable at point (723, 436). Other element would receive the click: <ion-col _ngcontent-yph-c290="" class="md hydrated" ng-reflect-size="12" size-lg="12" size-sm="12" style="flex: 0 0 calc(calc(12 / var(ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(ion-grid-columns, 12)) * 100%); "></ion-col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [d764f6d5f06928c22735027c0b535993, clickElement {id=2262795b-7f57-45f3-94b1-f3deb25f9e9d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC=1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:57696}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57696/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (d764f6d5f06928c22735027c0b535993)] -> xpath: //ion-row/ion-col/ion-button] Session ID: d764f6d5f06928c22735027c0b535993 at		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.giava:77) at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. approve the record_by_reviewer_user(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.223 s
	SCREENSIOL *** *** *** *** *** *** *** *** *** *		
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.001 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the asset creation record	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

