Cucumber Report

| Start : Mar 04, 6:17:26.094 pm	End : Mar 04, 6:18:42.306 pm	Duration : 1 m 16.212 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 18 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	1 m 16.212 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify No accounting entry is generated on cancelling advances against PO	18	18	0	0	1 m 16.205 s

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 1 m 16.212 s	Scenarios		Steps	
/ 6:17:26.094 pm // 6:18:42.306 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 18 Pass - 18 Fail - 0 Skip - 0	18

## (S)- Verify No accounting entry is generated on cancelling advances against PO

PASSED	DURATION - 1 m 16.205 s		Steps	
/ 6:17:26.101 pm // 6:18:42.306 pm /			Total - 18 Pass - 18 Fail - 0 Skip - 0	18
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_003_009_TC_01				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.506 s
	screenshot		
5	And Click On Search Icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
6	Then Enter Cancelled Value In Advance Status	PASSED	0.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
8	And Get The Business Partner and Advance Number	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
9	Then Third Segment report Icon	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
10	And Choose Enquiry Module	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click Note iCon near by financial transction	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
12	And choose branch code	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
13	And click on transaction from date in calender	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
14	Then Select from date in calender	PASSED	0.423 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on transaction to date in calender icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.176 s
16	Then Select To date in calender	PASSED	0.817 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.164 s
17	And Click View HyperLink	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.146 s
18	Then Verify No accounting entry is generated on cancelling advances against PO	PASSED	50.953 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.192 s

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on cancelling advances against
PO

(F) Check the Functionality of AR/AP
Module

≡ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧 ▨ 📋

Welcome, anant

⊘ Business partner setup
⊘ General ledger configuration
⊘ Accounting setup
⊘ Expense/AR & AP configurati...
⊘ Budget configuration
⊘ Fixed assets configuration
⊘ Inventory maintenance
⊘ Bank recon
⊘ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on cancelling advances against
PO

(F) Check the Functionality of AR/AP
Module

≡ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧 ▨ 📋

Welcome, anant

⊘ General ledger transaction
⊘ Budget
⊘ Accounts payable
⊘ Adjustments (AR and AP)
⊘ Accounts receivable
⊘ Fixed assets
⊘ Inventory management
⊘ Petty cash
⊘ Bank recon

22 Appro... ✕   11 Messa... ✕

⠿ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on cancelling advances against
PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify No accounting entry is
generated on cancelling advances against
PO

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

		Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
ctions		Search Branch Co	Advance Against F	Search ADV Numt	Search BP Name	Search Amount	Search Date	CANCELLED
👁	✏	AZENTMAIN - Azentio N	Advance Against PO	ADV_70_232022	suvarana Pvt Ltd	5063	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_69_132022	Swapnil Gore	58654	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_68_132022	Swapnil Gore	58654	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_67_132022	Swapnil Gore	50000	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance Against PO	ADV_33_2322022	Bonton Agency	5000	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_32_2322022	Mehta	5000	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_31_2322022	Mehta	5000	19-Oct-2022	Cancelled
👁	✏	AZENTMAIN - Azentio N	Advance To Employee	ADV_29_2322022	Swapnil Gore	1000	19-Oct-2022	Cancelled

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify No accounting entry is generated on cancelling advances against PO

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances against PO	
(F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify No accounting entry is generated on cancelling advances against PO	
(F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) (S) Verify No accounting entry is generated on cancelling advances against PO (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) (S) Verify No accounting entry is generated on cancelling advances against PO (F) Check the Functionality of AR/AP Module	