


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	33 m 50.280 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1	Create a accounting Schemes for different products	57	12	1	44	33 m 50.276 s
	<u>Module</u>						

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of the GL1 Module**

FAILED	DURATION - 33 m 50.280 s	Scenarios		Steps	
		Total - 1		Total - 57	
/ 5:30:41.785 pi	m // 6:04:32.065 pm /	Pass - 0	1	Pass - 12	57
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 44	

## (S)- Create a accounting Schemes for different products



#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	16.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
	10   10   10   10   10   10   10   10		
2	When user click the Accounting setup	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
	NA DESTRUCTIONS  NA DES		
3	And click the accounting scheme definition eye icon	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
	■ Control Con		
4	And click add icon in Gl	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot   Output  O		
5	And select accounting book name	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
	Worst legs with the street of		
6	And enter the Accounting Scheme Code	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot	]	
	·	•	-

7 And enter the Accounting Scheme name  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 And select expand indicator  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.286 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitio	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And select expand indicator  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.171 s  0.286 s  PASSED  0.458 s  0.458 s  0.201 s		© Namerium  © Namerium  © Namerium  © Namerium  © Namerium  © Namerium  Nam		
screenshot  And select expand indicator AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATSER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.072 s  PASSED 0.072 s  PASSED 0.072 s	7		PASSED	0.281 s
8 And select expand indicator  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And select Transaction Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.286 s  0.180 s  0.286 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.201 s  0.201 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
8 And select expand indicator  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And select Transaction Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APSSED  APSSED  0.286 s  PASSED  0.180 s  PASSED  0.458 s  PASSED  0.201 s  PASSED  0.072 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.072 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And select Transaction Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Screenshot  10 And click save buttons  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.458 s  PASSED  0.458 s  PASSED  0.201 s  0.201 s				
Screenshot  9 And select Transaction Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And click save buttons  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.458 s  0.201 s  PASSED  0.72 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.072 s  0.174 s	8	And select expand indicator	PASSED	0.286 s
9 And select Transaction Type PASSED 0.458 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And click save buttons  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.072 s  PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
9 And select Transaction Type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click save buttons  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.458 s  0.201 s  PASSED  0.72 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click save buttons  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.201 s  0.201 s		Sample   S		
Screenshot  10 And click save buttons  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.072 s  0.174 s	9	And select Transaction Type	PASSED	0.458 s
10 And click save buttons  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.072 s  0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
10 And click save buttons  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.072 s  0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s				
	10	And click save buttons	PASSED	0.072 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	** O ANTI-OPERATOR   1		
11	And Click on notification icon	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
	■		
12	And select the first records	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	The properties   The		
13	And click add icon in accounting scheme details	FAILED	33 m 20.333 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //page-accounting-scheme-update[1]/ion-content[1]/app-data-grid[1]/ion-content[1]/ion-fab[1]/ion-content[1]/app-data-grid[1]/ion-content[1]/ion-fab[1]/ion-fab[1]/ion-fab[1]/ion-ion[1]]*  org.openqa.selenium.Support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.GL_Module1.click_add_icon_in_accounting_scheme_details(GL_Module1.java:458) at ?.click add icon in accounting scheme details(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:600)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//page-accounting-scheme-update[1]/ion-content[1]/app-data-grid[1]/ion-content[1]/ion-fab[1]/ion-fab-button[1]/ion-ion[1]]* (Session info: chrome=101.0.4951.54) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'am64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [938d60cc464507f4b3cb16b435e783d0, findElement {using=xpath, value=//page-accounting-scheme-update[1]/ion-content[1]/app-data-grid[1]/ion-content[1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-fab_1]/ion-		

#	Step / Hook Details	Status	Duration
	101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323, userDataDir: C:\Users\ININDC~1\AppData\L},		
	goog:chromeOptions: {debuggerAddress: localhost:64422}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64422/devtoo, se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		
	938d60cc464507f4b3cb16b435e783d0		
	at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.GL_Module1.click_add_icon_in_accounting_scheme_details(GL_Module1.java:458)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.lnvoker.invoke(lnvoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		


	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
*	Not displayable characters are replaced by '?'.		
_	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.599 s
	screenshot	1	

#	Step / Hook Details	Status	Duration
	Votes (age of exclusive section () () () () () () () () () () () () ()		
14	And select GL resource	SKIPPED	0.001 s
15	And select CrDr flag	SKIPPED	0.000 s
16	And select parameter String	SKIPPED	0.001 s
17	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
18	And select parameter	SKIPPED	0.001 s
19	And click add icon in table	SKIPPED	0.000 s
20	And click save button in accounting scheme	SKIPPED	0.000 s
21	And click edit icon in accounting schemes	SKIPPED	0.000 s
22	And select the status in accounting Scheme details	SKIPPED	0.001 s
23	And click save button in accounting scheme	SKIPPED	0.000 s
24	And click add icon in accounting scheme details	SKIPPED	0.001 s
25	And select GL resource	SKIPPED	0.000 s
26	And select Cr flag	SKIPPED	0.000 s
27	And select parameter String	SKIPPED	0.000 s
28	And select expand indicator in accounting Scheme details	SKIPPED	0.000 s
29	And select parameter	SKIPPED	0.000 s
30	And click add icon in table	SKIPPED	0.000 s
31	And click save button in accounting scheme	SKIPPED	0.000 s
32	And click edit icon in accounting schemes	SKIPPED	0.000 s
33	And select the status in accounting Scheme details	SKIPPED	0.000 s
34	And click save button in accounting scheme	SKIPPED	0.000 s
35	And Click on notification icon	SKIPPED	0.000 s
36	And select the first record	SKIPPED	0.000 s
37	And click on submit buttons	SKIPPED	0.000 s
38	And enter remark in alert tab	SKIPPED	0.000 s
39	And click on submits	SKIPPED	0.000 s
40	Given Azentio Url login as Reviewer	SKIPPED	0.000 s
41	Then Click on Reviewer Notification icon	SKIPPED	0.000 s
42	And Click on to Reviewer Action button	SKIPPED	0.000 s


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
43	Then Click on to Approve button in Reviewer	SKIPPED	0.000 s
44	And Submit the record in reviewer	SKIPPED	0.000 s
45	Given Azentio Url login as checker page	SKIPPED	0.000 s
46	Then click on the security management	SKIPPED	0.000 s
47	And Click on the sub module open pool near Edit icon	SKIPPED	0.000 s
48	Then Click the claim option icon	SKIPPED	0.001 s
49	And Click on the checker notification icon	SKIPPED	0.000 s
50	Then click the checker action icon	SKIPPED	0.000 s
51	And Approve the Record in checker	SKIPPED	0.000 s
52	Then Submit the Record in checker	SKIPPED	0.001 s
53	Given Login as a Azentio Maker	SKIPPED	0.000 s
54	When user click the Accounting setup	SKIPPED	0.000 s
55	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
56	And click add icon in GI	SKIPPED	0.001 s
57	Then verify System should triggered the applied rule for the accounting scheme	SKIPPED	0.000 s


EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --

