


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 49.347 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|---|--------------|
| 1 | AR/AP Module | Verify Tax details is correctly displayed for Item details in | 5 | 3 | 1 | 1 | 1 m 49.335 s |
| | | Billing | | | | | |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 1 m 49.347 s | Scenarios | | Steps | |
|-----------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 5 | |
| / 1:14:04.127 A | M // 1:15:53.474 AM / | Pass - 0 | 1 | Pass - 3 | 5 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

(S)- Verify Tax details is correctly displayed for Item details in Billing




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 26.494 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.641 s |
| | screenshot | | |
| | * * * * * * * * * * * * * * * * * * * | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 0.795 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.849 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | ■ | | |
| 3 | When click on eye button of invoice booking | PASSED | 0.576 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 2.083 s |
| | The state of th | | |
| 4 | Then Get the tax details and check org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22fa6dd00a93a998a9cc98b44db49e38, executeScript {script=return document.getElementsByTagName('input')[29].value, args=[]]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:Users\NiNDC-11AppData\L}), goog:chromeOptions: (debuggerAddress: localhost:56235) javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56235/devtoo, se:cdp/version: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: 22fa6dd00a93a998a9c9c8b44db49e38 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.cotec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org | FAILED | 6.951 s |
| | | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | AzentioAutomationFramework/src/test/java/features/ArAp.feature:173) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.290 s |
| | screenshot | | |
| | 1 | | |
| 5 | And maker should logout | SKIPPED | 0.001 s |

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --

