# Cucumber Report

Feb 9, 2022, 12:50:20 AM

| Start : Feb 09, 12:48:34.906 AM | End : Feb 09, 12:50:15.428 AM | Duration : 1 m 40.522 s |
|---|---|---|

| Features | Scenarios | Steps |
|---|---|---|
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 21<br>FAILED - 0<br>SKIPPED - 0 |








| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | ACCOUNTS PAYABLE | 1 | 1 | 0 | 0 | 1 m 40.522 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | ACCOUNTS PAYABLE | Bill(invoice) Booking | 21 | 21 | 0 | 0 | 1 m 40.517 s |

## (F)- ACCOUNTS PAYABLE

| PASSED | DURATION - 1 m 40.522 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 12:48:34.906 AM // 12:50:15.428 AM / | | Total - 1<br>Pass - 1<br>Fail - 0<br>Skip - 0 | | Total - 21<br>Pass - 21<br>Fail - 0<br>Skip - 0 | |

## (S)- Bill(invoice) Booking

| PASSED | DURATION - 1 m 40.517 s | | Steps | |
|---|---|---|---|---|
| / 12:48:34.911 AM // 12:50:15.428 AM / | |  | Total - 21<br>Pass - 21<br>Fail - 0<br>Skip - 0 | |
| ACCOUNTS PAYABLE | | | | |
| @KUBS_INV_MGMT_UAT_001_005 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 13.781 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.702 s |
| | screenshot | | |
| |  + | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 0.806 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.249 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | When click on eye button of invoice booking | PASSED | 1.485 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.561 s |
| | screenshot | | |
| |  | | |
| 4 | And click on add button for invoice booking | PASSED | 0.734 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.036 s |
| | screenshot | | |
| |  | | |
| 5 | And Fill the required fields for invoice booking | PASSED | 17.760 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.377 s |
| | screenshot | | |
| |  | | |
| 6 | Then Save and submit the invoice billing | PASSED | 6.679 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And User should go to the kubs url and login as a reviewer user | PASSED | 9.779 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.105 s |
| | screenshot | | |
| |  | | |
| 8 | Then Click on notification button in reviewer | PASSED | 0.232 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.417 s |
| | screenshot | | |
| |  | | |
| 9 | And approve the record by the reviewer user | PASSED | 4.106 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.177 s |
| | screenshot | | |
| |  | | |
| 10 | Given User should go to the kubs url and login as a checker user | PASSED | 7.904 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.110 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And Click on security management in checker | PASSED | 0.088 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| | screenshot | | |
| |  | | |
| 12 | Then Click on open pool in checker | PASSED | 0.164 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.292 s |
| | screenshot | | |
| |  | | |
| 13 | And Click on claim button in checker | PASSED | 0.072 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.264 s |
| | screenshot | | |
| |  | | |
| 14 | And capture claimed status | PASSED | 0.226 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.184 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  + | | |
| 15 | Then click on notification in checker | PASSED | 0.199 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.386 s |
| | screenshot | | |
| |  + | | |
| 16 | Then checker should approved the invoice billing | PASSED | 7.132 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | screenshot | | |
| |  + | | |
| 17 | Given User should go to the kubs url and login as a maker user | PASSED | 7.273 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.539 s |
| | screenshot | | |
| |  + | | |
| 18 | And user should navigate to accounts payable menu | PASSED | 0.530 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.230 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 19 | When click on eye button of invoice booking | PASSED | 0.255 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.496 s |
| | screenshot | | |
| |  | | |
| 20 | Then click on first eye button to get the system invoice number | PASSED | 2.187 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.118 s |
| | screenshot | | |
| |  | | |
| 21 | And maker should logout | PASSED | 0.255 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.278 s |
| | screenshot | | |
| |  | | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |



| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Bill(invoice) Booking | |
| (F) ACCOUNTS PAYABLE | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE




(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



| |
|---|
| (Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) |
| (S) Bill(invoice) Booking |
| (F) ACCOUNTS PAYABLE |