
**Duration: 25.881 s** Start: Mar 04, 5:11:15.465 pm End: Mar 04, 5:11:41.346 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 14 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 15 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 93 % 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	25.881 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelled advances is not available for payment	15	14	1	0	25.873 s
	Module	settlement					

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 25.881 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 5:11:15.465	pm // 5:11:41.346 pm /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Verify cancelled advances is not available for payment settlement



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
	The Contraction of the Contracti		
2	Then Choose the second Tab Segment	PASSED	0.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The Continue of the Continue o		
3	And Click On Main module Accounts Receivable	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
	** O AND CONTRACT OF THE PARTY		
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	Screenshot  ** Outcomment  ** Outcom	_	
5	And Click On Search Icon	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.288 s
6	Then Enter Cancelled Value In Advance Status	PASSED	0.550 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		


#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
	■ Company   Com		
8	And Get The Business Partner and Advance Number	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	Screenshot   **********************************		
9	And Click On Main module Accounts payable	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.189 s
	© Management State ( 1900 - 1900 100 - 1900		
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		

11 And Click Add icon button PASSED 0.209 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s  22 Then Enter payment option PASSED 0.383 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.488 s  23 And Give stored Business partner Name PASSED 0.311 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.57 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.50 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Enter payment option  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.259 s  0.259 s  0.383 s  PASSED  0.148 s  0.150 s		© Normal (a) / Comment (a) (a) / Comment (a)		
screenshot  2 Then Enter payment option  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.964 s  PASSED  0.150 s	11	And Click Add icon button	PASSED	0.209 s
Ten Enter payment option PASSED 0.383 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AGRICAL STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
12 Then Enter payment option PASSED 0.383 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.148 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.311 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.157 s  Then Choose value date as System current date  PASSED 1.964 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.150 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  PASSED  0.150 s		2		
screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.964 s  PASSED  0.150 s	12	Then Enter payment option	PASSED	0.383 s
And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  PASSED  0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  PASSED  0.150 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.964 s  PASSED  0.157 s				
screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.150 s	13	And Give stored Business partner Name	PASSED	0.311 s
14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.964 s  0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.150 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.150 s		9 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	14	Then Choose value date as System current date	PASSED	1.964 s
screenshot		·	PASSED	0.150 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	1		
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	FAILED	1.074 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'IMMUVADP014547', ip: '10.1.47.111', os.name: Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e121051cf7a5d278b812a4668c6ca140, clickElement (id=843e6886-1867-4ffa-8eae-39bb3640c6cc)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserName: chrome, browserName: org.openqa.selenium.chrome.ChromedriverVersion: 90.8.0.4845. i., chrome: (chromedriverVersion: 90.8.0.4845.); aetWindowRect: true, strictFielnteractability: false, timeouts: (implicit: 0, pagel.oad; 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:drageBobb: true, webauthn:drageBobb: drageBobb: drageBobb: drageBobb: drageBobb: drageBobb: drageBobb: drageBobb: drageBobb		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	AFTER_STEF - Stephelinitions. Houks Class. add Scieenshollio. Cucumber. Java. Scenario)	PASSED	0.117 5

#	Step / Hook Details	Status	Duration
	screenshot		
	■ © ***********************************		
	9		
	Name		
	*** same \$ 0 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
	200 € 100 €		


EXPANDED SECTION -- 10 --




**EXPANDED SECTION** 




EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --



**EXPANDED SECTION** 



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

