Cucumber Report

Start : Jan 14, 1:50:41.260 AM	End : Jan 14, 1:51:14.595 AM	Duration : 33.335 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 14

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 78 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	33.335 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	To verify checker is able to Approve the Supplementory Budgets record	14	11	1	2	33.332 s

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 33.335 s	Scenarios		Steps	
/ 1:50:41.260 AM // 1:51:14.595 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 14 Pass - 11 Fail - 1 Skip - 2	14

(S)- To verify checker is able to Approve the Supplementory Budgets record

FAILED	DURATION - 33.332 s		Steps	
/ 1:50:41.263 AM // 1:51:14.595 AM /			Total - 14 Pass - 11 Fail - 1 Skip - 2	14
Checking the Supplementary Budget functionality				
@SupplementaryBudget_BP_SB_06_03				

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.713 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
2	And maker should navigate to the budget module	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
5	And click on add button on budget supplementary view page	PASSED	2.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
6	Then fill the input fields	PASSED	0.967 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then fill apportion amount and save the record	PASSED	2.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	screenshot 		
8	Then validate maker can save request for the Annually budget	PASSED	5.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot 		
9	Given Navigate to URL and login to Checker1	PASSED	4.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	screenshot 		
10	When Click on the Security management	PASSED	0.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Click on open pool & click clam button	PASSED	1.762 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
12	Then Click on the Notification	FAILED	2.177 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'512')]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [d5a755be0edb595e6e2f4118b5f8bf53, findElement {using=xpath, value=//span[contains(text(),'512')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63525}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63525/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d5a755be0edb595e6e2f4118b5f8bf53
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BUDGET_SupplementaryBudget.click_on_the_notification(BUDGET_SupplementaryBudget.java:936) at ?.Click on the Notification(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework2/src/test/java/features/BUDGET_SupplementaryBudget.feature:180) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
13	Then Click on action Button	SKIPPED	0.000 s
14	And Verify the record is generated by opening the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker is able to Approve the Supplementory Budgets record (F) Checking the Supplementary Budget functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker is able to Approve the Supplementory Budgets record (F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker is able to Approve
the Supplementory Budgets record

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker is able to Approve
the Supplementory Budgets record

(F) Checking the Supplementary Budget
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality