Cucumber Report

| Start : Dec 08, 11:12:28.424 AM	End : Dec 08, 11:13:06.620 AM	Duration : 38.196 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 10

Features: 1 — 0 %

Scenarios: 1 — 0 %

Steps: 17 — 35 %

| #	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	38.196 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounts Receivable Report post Debit Note is cancelled	17	6	1	10	38.191 s

(F)- AR/AP Module

FAILED	DURATION - 38.196 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 11:12:28.424 AM // 11:13:06.620 AM /		Pass - 0	1	Pass - 6	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Verify Accounts Receivable Report post Debit Note is cancelled

FAILED	DURATION - 38.191 s		Steps	
/ 11:12:28.429 AM // 11:13:06.620 AM /			Total - 17	
AR/AP Module			Pass - 6	17
@AR/AP @KUBS_AR_AP_UAT_003_006_TC_03			Fail - 1	
			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	25.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
2	Then select data set ID for accounts receivable report post debit note is cancelled	PASSED	0.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	1.864 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
4	And Click On Main module Accounts Receivable	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
5	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.566 s
	screenshot		
6	And Click On Search Icon	PASSED	0.937 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	**Then Enter Cancelled Value In Debit Not Status**	FAILED	0.176 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	   at stepdefinitions.ARAP_CancellationOfDebitNote.enter_cancelled_value_in_debit_not_status(ARAP_CancellationOfDebitNote.java:102)
	   at ?.Enter Cancelled Value In Debit Not Status(file:///C:/Users/inindc00091/git/AzentioAutomationFramework/ARAP_Excel_priyanka0612/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp_2_Excel.feature:53)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot 		
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.001 s
9	And Get The Bp Name and Debit Number Store It	SKIPPED	0.001 s
10	Then Third Segment report Icon	SKIPPED	0.000 s
11	And Click main Reports module	SKIPPED	0.001 s
12	Then Click on sub module Accounts Receivable Report	SKIPPED	0.000 s
13	And Give Getted Business Partner Name	SKIPPED	0.000 s
14	Then Give Current business Date in Account receivable report	SKIPPED	0.000 s
15	And Give Accounts Payable Status	SKIPPED	0.000 s
16	Then Click on View buttons	SKIPPED	0.001 s
17	And Verify Accounts Receivable Report post Debit Note is cancelled	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Receivable Report post Debit Note is cancelled	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Receivable Report post Debit Note is cancelled	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post Debit Note is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounts Receivable Report post Debit Note is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Receivable Report post Debit Note is cancelled	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify Accounts Receivable Report post Debit Note is cancelled	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounts Receivable Report
post Debit Note is cancelled

(F) AR/AP Module