

100

Start: Dec 22, 11:36:38.918 AM End: Dec 22, 11:37:08.423 AM **Duration**: 29.505 s Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 17 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	29.505 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Advance to employee is adjusted against the selected	17	0	0	17	29.494 s
		bill and Net Adjusted Value is correctly displayed					

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 29.505 s	Scenarios		Steps	
	<u> </u>	Total - 1		Total - 17	
/ 11:36:38.918 A	MM // 11:37:08.423 AM /	Pass - 0	1	Pass - 0	17
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 17	

## (S)- Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed

FAILED DURATION - 29.494 s	0.15	, ][						-					1				-	Steps		
/ 11:36:38.929 AM // 11:37:08.423 AM /	0.1	+											ļ					Total - 17		
AR/AP Module	.05	-	-  -	- ;	-  -				-				¦ -					Pass - 0	17	
@AR/AP	0				-		-						<u> </u>	1	_			Skip - 17		
@KUBS_AR_AP_UAT_004_007_TC_01a		-	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	29.336 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 99 Current browser version is 108.0.5359.125 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.217', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244)	PAILED	29.330 \$
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)</init></init>		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)	01//2277	0.000
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.003 s
2	Then select data set ID for advance to employee is adjusted against the selected bill	SKIPPED	0.002 s
3	Then Choose the second Tab Segment	SKIPPED	0.001 s
4	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
5	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.001 s
6	And Click Add icon button	SKIPPED	0.000 s
7	Then Enter the Receivable Name as Advance to employee	SKIPPED	0.001 s
8	And Enter Business partner Value For Employee	SKIPPED	0.000 s
9	And Enter Payment mode	SKIPPED	0.004 s
10	Then Enter Amount value	SKIPPED	0.002 s
11	And Choose Needed Currancy	SKIPPED	0.000 s
12	Then Choose cost center	SKIPPED	0.000 s
13	And Enter Description value	SKIPPED	0.000 s
14	Then Save the Advance Record	SKIPPED	0.004 s
15	Then Goto The Notification Icon	SKIPPED	0.000 s
16	And Store the Referance Id and Open the adjusted Record	SKIPPED	0.001 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		