Cucumber Report

| Start : Jan 27, 3:42:52.015 pm	End : Jan 27, 3:43:12.470 pm	Duration : 20.455 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 13 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	1	1	0	0	20.455 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	budget for Budgetcode type Quaterly	13	13	0	0	20.448 s

(F)- Check The Azentio UAT functionaliy

PASSED	DURATION - 20.455 s	Scenarios		Steps	
/ 3:42:52.015 pm // 3:43:12.470 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 13 Pass - 13 Fail - 0 Skip - 0	13

(S)- budget for Budgetcode type Quaterly

PASSED	DURATION - 20.448 s		Steps	
/ 3:42:52.022 pm // 3:43:12.470 pm /			Total - 13 Pass - 13 Fail - 0 Skip - 0	13
Check The Azentio UAT functionaliy				
@KUBS_UAT_Quarterly_KUBS_BP_UAT_002_0-02				

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
6	Then select to Budget Code	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
8	Then click on the Branch	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
9	And select the one Branch	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
12	And Enter the Amount for Quarterly Budget type	PASSED	0.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
13	And click on the save button	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type Quaterly	
(F) Check The Azentio UAT functionaliy	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type Quaterly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type Quaterly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type Quaterly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type Quaterly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type Quaterly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type Quaterly

(F) Check The Azentio UAT functionaliy