


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration | |
|---|--------------|---|---|---|---|----------|--|
| 1 | AR_AP Module | 1 | 0 | 1 | 0 | 58.736 s | |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|------------------------|---|---|---|---|----------|
| 1 | AR_AP Module | User Logain as checker | 5 | 2 | 1 | 2 | 58.728 s |

DETAILED SECTION -- 4 --

(F)- AR_AP Module

| FAILED | DURATION - 58.736 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 5 | |
| / 12:13:25.980 F | PM // 12:14:24.716 PM / | Pass - 0 | 1 | Pass - 2 | 5 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

(S)- User Logain as checker



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | And user update the Excelsheet Testdata for payment file download | PASSED | 4.778 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.526 s |
| | screenshot | | |
| | + | | |
| | | | |
| | | | |
| | | | |
| 2 | Given User should go to the kubs url and login as a checker userr | PASSED | 29.902 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.868 s |
| | screenshot | | |
| | WE TO THE PROPERTY OF THE PROP | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 3 | And then checker claim the records | FAILED | 7.418 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span(contains(text(),22)//parent:.div/parent:.datatable-body-cell/preceding-sibiling:.data-sibiling:.data-sibil | PASSED | 0.255 s |
| 4 | Then click on the checker Notification | SKIPPED | 0.001 s |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 5 | And select the Cheque record and Approve by checker | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User Logain as checker

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User Logain as checker

(F) AR_AP Module

