


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	22.963 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Creation of Accounting Books for custom templet	30	9	1	20	22.958 s
	Module						

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of the GL2 Module**

FAILED	DURATION - 22.963 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 3:47:01.085 pm	n // 3:47:24.048 pm /	Pass - 0	1	Pass - 9	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

## **(S)-** Creation of Accounting Books for custom templet



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.825 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
	** ** ** ** ** ** ** ** ** ** ** ** **		
2	And Click on Accounting Setup module	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

The Click sub module Accounting book definition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.298 S  0.29				
screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksC	3	•	PASSED	0.381 s
And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.214 s 0.179 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
4 And Click on Add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.214 s  PASSED  0.179 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.24 s  PASSED  0.179 s		-		
screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.214 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.179 s	4	And Click on Add icon	PASSED	0.295 s
5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.214 s  0.179 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.345 s  0.160 s  PASSED  0.214 s  PASSED  0.217 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  PASSED  0.214 s  PASSED  0.179 s				
Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.214 s  0.179 s	5	Then Choose the Template Type of Custom Template	PASSED	0.345 s
6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.214 s  0.179 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.214 s  0.179 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s		Commerce   Commerce		
	6	And Enter Another Book Name	PASSED	0.214 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	# Outstand Spale I was believe assemble @ # Outstand Spale I was believe as which is a spale I was which is a spale I was believe as which is a spale I was which is a spale I was believe as which is a spale I was believe		
7	Then Select system date as Effective date	PASSED	1.602 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	## O ADDITIONAL PROPERTY OF A PARTY OF A PAR		
8	And Choose the Book Type what you Need	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	Screenshot   **********************************		
9	Then Enter the Remark	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.167 s
10	And Save the Record	FAILED	1.182 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.</ion-buttons>		

#	Step / Hook Details	Status	Duration
	name: Windows 10", os arch: 'amd64', os version: '10.0', java version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [05af344846d25ae2492d9093263440da, clickElement (id=46cf62d5-4d7-4d68-a4te-23d1f3763262)] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0da,, userDataDir: CNUSersINININDC-1AppDataL); goog:chromeOptions: (debuggerAddress: localhosts62342); avascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy, normal, platform: WINDOWS, proxy: Proxy(), sec.dp: ws:/llocalhost.62342/devtoo, sec.dpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS] (05af344846025ae2492d9093263440da)] -> xpath: //div[1]ion-header[1]ion-toolbar[1]ion-buttons[2]/ion-button[1]] Session ID: 05af344846025ae2492d9093263440da at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.RemoteWe		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.119 s
	# 0		
	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		
	• *********		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.000 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.000 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.000 s
17	Then Approve the record in Reviewer	SKIPPED	0.000 s
18	And Give Remark and Submit	SKIPPED	0.001 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.000 s
23	And Click the First Action Icon	SKIPPED	0.001 s
24	Then Approve the Record in checker stage	SKIPPED	0.000 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click sub module Accounting book definition	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
30	And System should Generate unique code	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

