


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	22.789 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Creation of Accounting Books for custom templet	28	9	1	18	22.786 s
	Module						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 22.789 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 2:58:35.739 pm	n // 2:58:58.528 pm /	Pass - 0	1	Pass - 9	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 18	

(S)- Creation of Accounting Books for custom templet



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
	This did fight to the body of the control of the co		
2	And Click on Accounting Setup module	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

3 Then Click sub module Accounting book definition AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) Screenshot Fraction of the following the step of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) AFTER_STEP - stepd	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksCla				
screenshot And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreensh	3	-	PASSED	
4 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScre		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
4 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cu		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Enter Book Name PASSED 0.276 s 0.276 s 0.276 s		I have a second		
Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Book Name PASSED 0.282 s 0.147 s 0.147 s	4	And Click on Add icon	PASSED	0.249 s
5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot And Enter Book Name PASSED O.282 s PASSED O.282 s PASSED O.282 s O.282 s O.282 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Enter Book Name PASSED 0.147 s PASSED 0.229 s				
Screenshot The state of the	5	Then Choose the Template Type of Custom Template	PASSED	0.282 s
6 And Enter Book Name PASSED 0.229 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
6 And Enter Book Name PASSED 0.229 s		screenshot		
		© sumon 1		
AFTED STED standatinitions HooksClass addSpreamber(in quaymber inva Spanaria)	6	And Enter Book Name	PASSED	0.229 s
AFTER_STEP - Stepuelifitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
7	Then Select system date as Effective date	PASSED	1.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	E C C C C C C C C C C C C C C C C C C C		
8	And Choose the Book Type what you Need	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	Screenshot ***Parameters** ***Paramet		
9	Then Enter the Remark	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.168 s
10	And Save the Record	FAILED	1.128 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
	name: Windows 10; os.arch: 'am64a', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome. ChromeDriver Command: [99abc34a08416fle2523e061abeadbf, clickElement {id=5d673I44-32dd-4711-9bed-906d369cafld}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80} (770488e8ba008, userDataDir: C:UJsersiNININDC-1\AppDataL}), goog:chromeOptions: {debuggerAddress: localhost:50752}, avascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50752/devtoo, se.cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS] (99abc34a084316fle2523e061abeadbf)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 99abc34a084316fle2523e061abeadbf] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openga.selenium.remote.evence.DriverCommandExecutor.java:140 at org.openga.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.RemoteWeb		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	Screenshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.000 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.001 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.000 s
17	Then Approve the record in Reviewer	SKIPPED	0.001 s
18	And Give Remark and Submit	SKIPPED	0.000 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.001 s
23	And Click the First Action Icon	SKIPPED	0.000 s
24	Then Approve the Record in checker stage	SKIPPED	0.000 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

