


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	35.056 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To Verify Checker can approve the record which is	35	21	1	13	35.052 s
	feature	approved by reviewer					

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 35.056 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 9:48:14.915	AM // 9:48:49.971 AM /	Pass - 0	1	Pass - 21	35
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 13	

(S)- To Verify Checker can approve the record which is approved by reviewer



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
	B Construction and the Construction and		
2	Then click on budget configuration Menu	PASSED	0.676 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# O STATE AND THE STATE OF THE		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		
	## OF CONTINUES 100		
4	Then search the budget code want to update	PASSED	0.768 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
	# Operation Property Propert		
5	And select the budget code	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.284 s
	The state of the s		
6	And update the budget code	PASSED	3.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot]	

#	Step / Hook Details	Status	Duration
	# Prince Age Age		
7	Then update the budget budget type	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	Prince Super		
8	Then update warning percentage	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texage: The content of the con	PASSED	0.140 s
9	Then update budget name	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Ten_Stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.179 s
10	Then update remark	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.157 s

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 12 Then Click on notification icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 13 And select the first record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 2 Then Click on notification icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passeb AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s 0.116 s PASSED 0.286 s 0.247 s PASSED 0.235 s 0.295 s 0.696 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 0.198 s		© name to the same of the sam		
screenshot 12 Then Click on notification icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	11	And click on save after update all the details	PASSED	3.202 s
2 Then Click on notification icon		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
12 Then Click on notification icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14 Then click on submit button PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.696 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.118 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And select the first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.286 s PASSED 0.287 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.286 s 0.287 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.288 s 0.288 s		## OF THE PROPERTY OF THE PROP		
screenshot 13 And select the first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then click on submit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.696 s PASSED 0.198 s	12	Then Click on notification icon	PASSED	0.116 s
And select the first record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s PASSED 0.235 s creenshot Then click on submit button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.696 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
And select the first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on submit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.247 s PASSED O.235 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.696 s PASSED O.198 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 Then click on submit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s PASSED 0.696 s PASSED 0.198 s		O		
Screenshot Then click on submit button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.696 s 0.198 s	13	And select the first record	PASSED	0.247 s
Then click on submit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.696 s 0.198 s			PASSED	0.235 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s				
	14	Then click on submit button	PASSED	0.696 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
		screenshot]	

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) SCREENSHOT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.249 s 0.49 s				
Screenshot Scr	15	And enter remark in alert tab	PASSED	0.286 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 70 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) When click on submit button save the reviewer id After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED O.144 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.035 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.035 s 0.144 s		# © statements State Stat		
screenshot Ty When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Biguin a gravity of the step of the ste	16	And click on submit	PASSED	0.049 s
When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Biguin and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s 6.035 s PASSED 0.144 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.035 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.035 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.035 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s				
Screenshot Screen	17	When click on submit button save the reviewer id	PASSED	0.591 s
18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.144 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s		© Namentaria		
	18	Given navigate to URL and login as a reviewer	PASSED	6.035 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
		screenshot		


#	Step / Hook Details	Status	Duration
	# 0 1000 (100 (100 (100 (100 (100 (100 (
19	Then click on notification icon	PASSED	0.128 s
10	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
	0 100		
20	When click on notification icon to check reviewer can get a record which is submitted by maker	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	■ Outcomments 10 10 10 10 10 10 10 1		
21	And click on action button	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)** **Tex_stepdefinitions.Hooks	PASSED	0.205 s
22	Then verify the updated budget record is matched with maker submited record	FAILED	0.079 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f760cc878306f173ae8757c67c2a2ef, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome:		

#	Step / Hook Details	Status	Duration
	(chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot	_	
	The Supplement of Supplement o		
23	And approve the record in reviewer stage	SKIPPED	0.000 s
24	Then enter remark then submit	SKIPPED	0.000 s
25	Given navigate to URL and login as a checker	SKIPPED	0.000 s
26	Then click on security management menu	SKIPPED	0.000 s
27	And click on Action icon in security management	SKIPPED	0.000 s
28	Then clime the record	SKIPPED	0.000 s
29	And click on notification icon in checker stage	SKIPPED	0.001 s
1	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
31	And click on action button in checker stage	SKIPPED	0.000 s
32	Then click on approve in checker stage	SKIPPED	0.000 s
33	Then validate the updated budget record	SKIPPED	0.001 s
34	And Write remark in alert	SKIPPED	0.000 s
35	And Submit the record from checker	SKIPPED	0.000 s


EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --







EXPANDED SECTION -- 18 --




EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --





EXPANDED SECTION -- 22 --

