Cucumber Report

| Start : Mar 25, 11:22:01.629 AM	End : Mar 25, 11:22:54.472 AM	Duration : 52.843 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 2

Features: 1

Scenarios: 1

Steps: 13

Pass % : 0 %

Pass % : 0 %

Pass % : 76 %

#	Feature Name	T	P	F	S	Duration
1	_Budget Transfer_	1	0	1	0	52.843 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	BP_BT_05_02 To verify system generates notification at checker1 login	13	10	1	2	52.836 s

(F)- Budget Transfer

FAILED	DURATION - 52.843 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 11:22:01.629 AM // 11:22:54.472 AM /		Pass - 0	1	Pass - 10	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- BP_BT_05_02 To verify system generates notification at checker1 login

FAILED	DURATION - 52.836 s		Steps	
/ 11:22:01.636 AM // 11:22:54.472 AM /			Total - 13	
Budget Transfer			Pass - 10	13
@Budget_BudgetTransfer_BP_BT_05_02 @multiauth			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as maker user	PASSED	17.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
2	And Maker click on the direction tab	PASSED	0.956 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Maker click on the budget	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
4	Then Maker click on budget transfer eye button	PASSED	0.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
5	And Maker click on add button	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s
	screenshot		
6	Then Maker fill the details and save	PASSED	5.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Maker click on the notification icon	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
8	Then Maker submit the budget transfer record	PASSED	7.595 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
9	Then Navigate to Url and login as a reviewer	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
10	When Click on Notification button	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Find the budget code which submitted from maker user	FAILED	7.232 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'528')]/ancestor::datatable-body-cell::preceding-sibling::datatable-body-cell//ion-button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [05c1b8cc8d8e72ae6c8bd106066b300d, findElement {using=xpath, value=//span[contains(text(),'528')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52779}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52779/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 05c1b8cc8d8e72ae6c8bd106066b300d
	  at jdk.internal.reflect.GeneratedConstructorAccessor24.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at stepdefinitions.BUDGET_BudgetTransfer.find_the_budget_code_which_submitted_from_maker_user(BUDGET_BudgetTransfer.java:726)
	  at ?.Find the budget code which submitted from maker user(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/BUDGET_BudgetTransfer.feature:160)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	Then Click on action button	SKIPPED	0.001 s
13	And Verify the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) BP_BT_05_02 To verify system
generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) BP_BT_05_02 To verify system
generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_BT_05_02 To verify system generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_BT_05_02 To verify system generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_BT_05_02 To verify system generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_BT_05_02 To verify system generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) BP_BT_05_02 To verify system
generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) BP_BT_05_02 To verify system
generates notification at checker1 login

(F) Budget Transfer

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) BP_BT_05_02 To verify system
generates notification at checker1 login

(F) Budget Transfer

Kastle Universal Banking (Beta)

04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro... 11 Messa...

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
	1698	ASSET_CREATION	MAKER	MAKER	1002435
	1697	ASSET_CREATION	MAKER	MAKER	1002435
	1696	ASSET_CREATION	MAKER	MAKER	1002435
	1695	ASSET_CREATION	MAKER	MAKER	1002435
	1694	ASSET_CREATION	MAKER	MAKER	1002435

1,565 total |◁ ◁ 1 2 3 4 5 ▷ ▷|

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) BP_BT_05_02 To verify system
generates notification at checker1 login

(F) Budget Transfer

Kastle Universal Banking (Beta)

04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro... 11 Messa...

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
	1698	ASSET_CREATION	MAKER	MAKER	1002435
	1697	ASSET_CREATION	MAKER	MAKER	1002435
	1696	ASSET_CREATION	MAKER	MAKER	1002435
	1695	ASSET_CREATION	MAKER	MAKER	1002435
	1694	ASSET_CREATION	MAKER	MAKER	1002435

1,565 total |◁ ◁ 1 2 3 4 5 ▷ ▷|

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) BP_BT_05_02 To verify system generates notification at checker1 login

(F) Budget Transfer