Cucumber Report

Jan 13, 2022, 8:21:56 AM

Start : Jan 13, 8:21:38.635 AM	End : Jan 13, 8:21:54.920 AM	Duration : 16.285 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	16.285 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify maker can able to search and view budget code	7	6	1	0	16.280 s

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 16.285 s	Scenarios		Steps	
/ 8:21:38.635 AM // 8:21:54.920 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 7 Pass - 6 Fail - 1 Skip - 0	

(S)- To verify maker can able to search and view budget code

FAILED	DURATION - 16.280 s		Steps	
/ 8:21:38.640 AM // 8:21:54.920 AM /			Total - 7 Pass - 6 Fail - 1 Skip - 0	
To check BudgetDefinition moduel feature				
@Search_the_updated_budgetCode_and_validate				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
	+		
2	Then click on budget configuration Menu	PASSED	0.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on budget definition sub menu and click on eye icon	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
			
4	And click on search icon	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
			
5	Then enter the budget code to search	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
6	Then select the budget code in the search result	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And validate the submited record org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2993da9cf3fed1c583221113143f3546, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[11].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59541}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59541/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2993da9cf3fed1c583221113143f3546 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.BUDGET_BudgetCreation.validate_the_submited_record(BUDGET_BudgetCreation.java:570) at ?.validate the submited record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:445) * Not displayable characters are replaced by '?'.	FAILED	0.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.209 s

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can able to search and view budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can able to search and view budget code	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to search and view budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to search and view budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to search and view budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to search and view budget code

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to search and view budget code

(F) To check BudgetDefinition moduel feature