Cucumber Report

Start : Mar 09, 6:41:04.139 PM	End : Mar 09, 6:41:30.293 PM	Duration : 26.154 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 6

Pass %: 100 % (Features)

Pass %: 100 % (Scenarios)

Pass %: 100 % (Steps)

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	26.154 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check Purchase requisition report	6	6	0	0	26.146 s

(F)- Check the Functionality of Inventory

PASSED	DURATION - 26.154 s	Scenarios		Steps	
/ 6:41:04.139 PM // 6:41:30.293 PM /		Total - 1		Total - 6	
		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check Purchase requisition report

PASSED	DURATION - 26.146 s		Steps	
/ 6:41:04.147 PM // 6:41:30.293 PM /			Total - 6	
Check the Functionality of Inventory			Pass - 6	6
@KUBS_INV_MGMT_UAT_007_003			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	12.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
2	Then click on report button	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Report Tab	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
4	Then Click on Purchase requisition report edit grid	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
5	Then Fill the form for Purchase requisition report	PASSED	5.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
6	And Click on view button to view report of Purchase requisition report	PASSED	3.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check Purchase requisition report

(F) Check the Functionality of Inventory