


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	53.812 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	7	6	1	0	53.806 s
		Purchases					

## (F)- AR/AP Module

FAILED	DURATION - 53.812 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 3:43:07.092 pr	m // 3:44:00.904 pm /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Create a contract for an active vendor with expense type Purchases

FAILED DURATION - 53.806 s	25 -								Steps		
/ 3:43:07.098 pm // 3:44:00.904 pm /	20 -	- + -	 -	- +			_		Total - 7		
AR/AP Module	10 -		 						Pass - 6	7	
@AR/AP	5 -	 ╂	 -¦						Fail - 1		,
@KUBS_AR/AP_UAT_001_001_TC_001_01	0 -	 1	 2	3	4	5	6	7	Skip - 0		


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	AZENTO  10 00 20 L - Jeann Settinger - PORTORIA (C. P. DOTORIA C. P. DOTORIA (C. P. DOTORIA C. P. DO		
2	And user should navigate to accounts payable menu	PASSED	2.511 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	ASSETTO  OF GAD L. A ARTHOUGH OF DEATH OF THE PART AND ARTHOUGH OF THE PART AND ARTHOU		
3	When click on eye button of vendor contract	PASSED	0.203 s
3	when click on eye button of vendor contract	PASSED	0.203 S

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.480 s
	screenshot		
	Transmitted to the second of t		
4	And click on add button to create contract	PASSED	1.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
	TOTAL CONTRACTOR OF THE PROPERTY OF THE PROPER		
5	And Updating Testdata Id for Vendor contract	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
	Control Contro		
6	And Fill the required fields to create contract	PASSED	24.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
	Total L Associations - ASSOCIANT (S) (S) (D) AND		
7	Then Save and submit the creation contract record	FAILED	1.209 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-jlo-c278="" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated" ng-reflect-router-link="/inbox" routerlink="/inbox" tabindex="0"></ion-button> is not clickable at point (838, 28). Other element would receive the click: <div _ngcontent-jlo-c177="" class="ngx-overlay foreground-closing" style="background-color: rgba(40, 40, 40, 0.8); border-radius: 0px;"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
#	Step / Hook Details  [3ed6037bcd6e500815a8c1dbf777de79, clickElement {id=81afd947-15bc-4a7c-bf93-130e6ec18b18}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:UsersiNINDC-14AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:61661}, javascriptEnabled: true, networkConnectionEnabled: false, page_LoadStrategy: normal, platform: WINDOWS, platformser WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61661/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad. 300000, script: 300000}, unhandfedPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:intell.Authenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (3ed6037bcd6e500815a8c1dbf777de79]) -> xpath: //ion-button[@ng-reflect-router-link=/inbox*]] Session ID: 3ed6037bcd6e500815a8c1dbf777de79] -> xpath: //ion-button[@ng-reflect-router-link=/inbox*]] Session ID: 3ed6037bcd6e500815a8c1dbf777de79] -> xpath: //ion-button[@ng-reflect-constructor-accessorImpl.newInstance(NativeConstructorAccessorImpl.ava:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:39) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:39) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(	Status	Duration
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
	CONTROL STATE OF THE PARTY OF T		


EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

