Cucumber Report

Start : Feb 24, 3:34:33.067 AM	*End : Feb 24, 3:35:39.193 AM*	*Duration : 1 m 6.126 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 6.126 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	User cancels the payment settlement transaction for multiple bills.	5	4	1	0	1 m 6.120 s

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 1 m 6.126 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 3:34:33.067 AM // 3:35:39.193 AM /		Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User cancels the payment settlement transaction for multiple bills.

FAILED	DURATION - 1 m 6.120 s		Steps	
/ 3:34:33.073 AM // 3:35:39.193 AM /			Total - 5	
ACCOUNTS PAYABLE			Pass - 4	5
@KUBS_AR/AP_UAT_005_002_TC_01			Fail - 1	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	46.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.985 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	2.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of payment settlement cancellation	PASSED	1.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.820 s
	screenshot		
4	And click on add button for payment settlement cancellation	PASSED	0.962 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.960 s
	screenshot		
5	And Fill the required fields for payment settlement cancellation	FAILED	1.092 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//datatable-footer)[2]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f755f6f5ebec746f32d021bbac9a54c0, findElement {using=xpath, value=(//datatable-footer)[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63285}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63285/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f755f6f5ebec746f32d021bbac9a54c0
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49) at helper.JavascriptHelper.scrollIntoViewAndClick(JavascriptHelper.java:55) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlementCancellation. fill_the_required_fields_for_payment_settlement_cancellation(ACCOUNTSPAYABLE_PaymentSettlementCancellation.java:77) at ?.Fill the required fields for payment settlement cancellation(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ACCOUNTSPAYABLE_PaymentSettlementCancellation.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User cancels the payment settlement transaction for multiple bills.

(F) ACCOUNTS PAYABLE

| | Kastle Universal Banking (Beta) | | | 19-Oct-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Finance

Business partner setup
General ledger configuration
Accounting setup
Expense/AR & AP configurati...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Welcome, anant

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User cancels the payment settlement transaction for multiple bills.

(F) ACCOUNTS PAYABLE

| | Kastle Universal Banking (Beta) | | | 19-Oct-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable
▶ Vendor contracts
▶ Vendor purchase orders
▶ Goods received note (GRN)
▶ Invoice booking
▶ Payment settlement
▶ Payment settlement cancellation

Welcome, anant

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User cancels the payment settlement
transaction for multiple bills.

(F) ACCOUNTS PAYABLE

| | | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

← AP Payment Settlement Cancellation

Actions	Branch Code - Name	Txn Number	Beneficiary Name	Payment Amount	Txn Date	Txn Status
👁 ✏	AZENTMAIN - Azentio Ma	CAN-15-2022-02-24	80001	30	24-Feb-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-9-2022-01-13	76451	52043	02-Jun-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-7-2022-01-03		9801	02-Mar-2022	CLOSED
👁 ✏	HO0001 - Corporate Bran	CAN-3-2021-12-21	69256	46782.78	21-Dec-2021	CANCELLED
👁 ✏	HO0001 - Corporate Bran	CAN-2-2021-12-21	69256	200400	21-Dec-2021	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-12-2022-01-20	69256	12000	03-Aug-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-5-2022-01-03		9801	01-Mar-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-6-2022-01-03	74602	815990	01-Mar-2022	CANCELLED

9 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User cancels the payment settlement
transaction for multiple bills.

(F) ACCOUNTS PAYABLE

| | | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

← AP Payment Settlement Cancellation

Actions	Branch Code - Name	Txn Number	Beneficiary Name	Payment Amount	Txn Date	Txn Status
👁 ✏	AZENTMAIN - Azentio Ma	CAN-15-2022-02-24	80001	30	24-Feb-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-9-2022-01-13	76451	52043	02-Jun-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-7-2022-01-03		9801	02-Mar-2022	CLOSED
👁 ✏	HO0001 - Corporate Bran	CAN-3-2021-12-21	69256	46782.78	21-Dec-2021	CANCELLED
👁 ✏	HO0001 - Corporate Bran	CAN-2-2021-12-21	69256	200400	21-Dec-2021	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-12-2022-01-20	69256	12000	03-Aug-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-5-2022-01-03		9801	01-Mar-2022	CANCELLED
👁 ✏	AZENTMAIN - Azentio Ma	CAN-6-2022-01-03	74602	815990	01-Mar-2022	CANCELLED

9 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User cancels the payment settlement transaction for multiple bills.

(F) ACCOUNTS PAYABLE

| ☰ 🌐 Kastle Universal Banking (Beta) | 19-Oct-2022 English ⌄ Azentio Software ⌄ (AZENTMAIN) 🔔 ⬛ 👤 ANANT |

Payment settlement cancellation ✏️ 👁 🗑

Auto payout ✏️ 👁 🗑

Manual payout ✏️ 👁 🗑

Payment file download ✏️ 👁 🗑

Payment response file upload ✏️ 👁 🗑

⊘ Adjustments (AR and AP)

⊘ Accounts receivable

⊘ Fixed assets

⊘ Inventory management

⊘ Petty cash

⊘ Bank recon

22 Appro... ✕   11 Messa... ✕

← Ap Payment Settlement Cancellation 💾

* Entity Branch: Azentio Main Branch ✕ ⌄

Payment txn Number: | ⌄

PAN-2-2021-12-03

PAN-2-2021-12-03

PAN-12-2021-12-17

PAN-13-2021-12-17

PAN-17-2021-12-21

Txn Number

Txn Date: 19-Oct-2022 📅

Cancellation Amount

* Cancellation Reason Code ⌄

Status: Active ⌄

▦ Home   ➤ Preference