



FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	4	1	3	0	5 m 18.862 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	10	0	1	9	24.581 s
2	AR/AP Module	Reviewer approve contract for an active vendor with expense type Purchases	4	3	1	0	3 m 47.513 s
3	AR/AP Module	Checker approve contract for an active vendor with expense type Purchases	8	4	1	3	32.259 s
4	AR/AP Module	To verify approve contract record should visible in vendor contract list	5	5	0	0	34.476 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 5 m 18.862 s	Scenarios		Steps	
		Total - 4		Total - 27	
/ 10:23:49.728 F	PM // 10:29:08.590 PM /	Pass - 1	4	Pass - 12	27
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 12	

(S)- Create a contract for an active vendor with expense type Purchases


FAILED DURATION - 24.581 s	10				;	 		·	¦				Steps	
/ 10:23:49.731 PM // 10:24:14.312 PM /	8	-	₽			 		¦					Total - 10	
AR/AP Module	4		I			 					- -		Pass - 0	10
@AR/AP @KUBS_AR/AP_UAT_001_001_TC_001_01	2			¦ - ! -		 				<u> </u>		-	Skip - 9	
@KODO_AKKAI _OA1_001_001_1C_001_01			1	2	3	4	5	6	7	8	9	10		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	10.975 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e3516740dfea7aef519bfbcb4322b3b3, get {url=http://10.1.56.122:8680/kubs-cenbank/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64706}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64706/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e3516740dfea7aef519bfbcb4322b3b3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:51) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00089/eclipse-workspace/ AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:6) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.179 s
2	And user should navigate to accounts payable menu	SKIPPED	0.000 s
3	When click on eye button of vendor contract	SKIPPED	0.000 s
4	And click on add button to create contract	SKIPPED	0.000 s
5	And user update the data set ID for vendor contract	SKIPPED	0.000 s
6	And Fill the required fields to create contract	SKIPPED	0.000 s
7	And Save the Record from maker	SKIPPED	0.001 s
8	Then click on the Notification icon	SKIPPED	0.000 s
9	Then store the Reference ID and open the vendor contract record	SKIPPED	0.000 s
10	Then click submit and enter remark for vendor contract	SKIPPED	0.001 s

(S)- Reviewer approve contract for an active vendor with expense type Purchases




#	Step / Hook Details	Status	Duration
1	And user update the data set ID for vendor contract Reviewer	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
	+		
2	And User should go to the kubs url and login as a reviewer user	PASSED	2 m 18.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.629 s
	screenshot		
	AZENTO States Square: Assessment of States Square: Assessment of		
	© Ministra		
			1.001
3	Then Click on notification button in reviewer	PASSED	4.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.896 s
	screenshot		
	ASSERTIO 100 100 100 100 100 100 100 100 100 10		
	Tell years Nodeline Tell years T		
	Street Auditor		
1	And approve the record by reviewer user	FAILED	1 m 10 671 o
4	And approve the record by reviewer user	FAILED	1 m 18.671 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'739')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/ion-button"}		
	(Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build		
	info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch:		
	'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [51f76c4f8f36d2c6e5a0e27625c32fec, findElement {using=xpath, value=//span[contains(text(),'739')]/ancestor::datatable-body-cell/preceding-		
	sibling::datatable-body-cell//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82,		
	chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:62386}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform:		
	WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62386/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect:		
	true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:		

DETAILED SECTION -- 7 -

#	Step / Hook Details	Status	Duration
	51f76c4f8f36d2c6e5a0e27625c32fec		
	at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	approve_the_record_by_reviewer_user(ACCOUNTSPAYABLE_VendorContracts.java:549)		
	at ?.approve the record by reviewer user(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/		
	features/ArAp1.feature:24)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	ASSETTO THE POST TOP ASSET TO THE POST TO THE		

(S)- Checker approve contract for an active vendor with expense type Purchases




#	Step / Hook Details	Status	Duration
1	And user update the data set ID for vendor contract Reviewer	PASSED	0.797 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.667 s
	screenshot		
	+	1	
		DAGGED	46.600 -
2	Given User should go to the kubs url and login as a checker user	PASSED	16.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot	-	
	+		
	The state of the s		
	AZENTO SINGHAMEN IN WINDOWS WINDOWS IN WIN WINDOWS IN WINDOWS IN WINDOWS IN WIN WINDOWS IN WIN WIN WIN WIN WIN WIN WIN		

2	And Clink on acquirity management in checker	DACCED	1 420 0
3	And Click on security management in checker AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED PASSED	1.438 s 0.203 s
		PASSED	0.203 \$
	screenshot	-	
	TANDO TO TANDO CARROLLE CARROL		
	NATIONAL STATE OF THE STATE OF		
4	Then Click on open pool in checker	PASSED	1.070 s
Ė	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
	The string of th	1	
	0 1 1 1 1 1 1 1 1 1		
	Table 8 mar 8		
5	And Click on claim button in checker	FAILED	1.041 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(1	

#	Step / Hook Details	Status	Duration
),739')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell/2]/div/ion-buttons/ion-button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/i+mo_such_element Build info: version: 40.0-re-1; revision: bc5511.bda' System info: host 'iNMUVADPO16372', pi; 10.1.47.119', os.name: Windows 10', os.arch: 'amd64', os. version: '10.0', java-version: '17.0.1' Driver info: org. openga.selenium.chrome.ChromeDriver Command: '(), '739')]/parent::div/parent::datatable-body-cell/2 preceding-sibling::datatable-body-cell/2/idiv/ion-buttons/ion-buttons/ion-buttons/ (Sapabilities) (acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.82, chrome: (chromedriverVersion: '99.0.4844.51 (d537ec02474b5, userDatable: C:UsersiNINDC-1/AppDatall), goog:chromeOptions: (debuggerAddress: localhost-60258), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://llocalhost-60258/devtoo, secdpVersion: '99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn-extension-credBlob: true, webauthn:extension-largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: b267dcefaa8232d27330fe987a9537a7 at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.code(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:149) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
	AMENTO TO A CONTROL OF CONTROL O		
6	And capture claimed status	SKIPPED	0.000 s
7	Then click on notification in checker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then checker should approved the contract record	SKIPPED	0.000 s

(S)- To verify approve contract record should visible in vendor contract list



#	Step / Hook Details	Status	Duration
1	And user update the data set ID for vendor contract	PASSED	0.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
	+		
2	Given User should go to the kubs url and login as a maker user	PASSED	20.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	screenshot		
	With the second		
3	And user should navigate to accounts payable menu	PASSED	2.656 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ASSUTED THE DESCRIPTION OF THE PROPERTY OF TH		
4	When click on eye button of vendor contract	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshot		
	+		
5	Then Get the contract and Txn status by searching the record via business partner	PASSED	1.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.631 s
	screenshot		
	*** The state of t		

EXPANDED SECTION -- 12 --



(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Reviewer approve contract for an active vendor with expense type Purchases

(F) AR/AP Module



This site can't be reached

10.1.56.122 refused to connect.

Try:


- Checking the connection
- Checking the proxy and the firewall


ERR_CONNECTION_REFUSED

Reload

Details

EXPANDED SECTION -- 13 --






(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Checker approve contract for an
active vendor with expense type
Purchases

(F) AR/AP Module

EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify approve contract record should visible in vendor contract list


(F) AR/AP Module


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify approve contract record should visible in vendor contract list

(F) AR/AP Module







EXPANDED SECTION -- 19 --

