Cucumber Report

| Start : Feb 19, 12:14:05.628 AM	End : Feb 19, 12:16:50.547 AM	Duration : 2 m 44.919 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	2 m 44.919 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if the given asset is sold at higher price	21	19	1	1	2 m 44.896 s

(F)- FIXED ASSETS

FAILED	DURATION - 2 m 44.919 s		Scenarios		Steps	
/ 12:14:05.628 AM // 12:16:50.547 AM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 21 Pass - 19 Fail - 1 Skip - 1	21

(S)- Check if the given asset is sold at higher price

FAILED	DURATION - 2 m 44.896 s		Steps	
/ 12:14:05.651 AM // 12:16:50.547 AM /			Total - 21 Pass - 19 Fail - 1 Skip - 1	21
FIXED ASSETS				
@KUBS_FAT_UAT_004_001				

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	19.874 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.683 s
	screenshot		
2	And user should navigate to fixed asset menu	PASSED	1.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of asset sale	PASSED	0.782 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
4	And click on add button to create sale asset record	PASSED	0.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
5	And Fill the required fields to sale asset	PASSED	2.878 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
6	Then Save and submit the asset sale record	PASSED	7.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	9.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot		
9	And approve the record by reviewer user	PASSED	4.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	8.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot 		
12	Then Click on open pool in checker	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot 		
13	And Click on claim button in checker	PASSED	0.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot 		
14	And capture claimed status	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then click on notification in checker	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.538 s
	screenshot		
16	Then checker should approved the asset sale	PASSED	7.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
17	Given User should go to the kubs url and login as a maker user	PASSED	12.786 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.630 s
	screenshot		
18	And user should navigate to fixed asset menu	PASSED	0.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on eye button of asset sale	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
20	Then click on first eye button to get the profit earned	FAILED	4.346 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1cb049d322e8d82c6f6ac62886dc4c0, executeScript {script=return document.getElementsByClassName('form__field ng-pristine ng-valid ng-touched')[2].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55722}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55722/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d1cb049d322e8d82c6f6ac62886dc4c0
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	    at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	    at stepdefinitions.FIXEDASSETS_AssetSale.click_on_first_eye_button_to_get_the_profit_earned(FIXEDASSETS_AssetSale.java:199)		

#	Step / Hook Details	Status	Duration
	at ?.click on first eye button to get the profit earned(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetSale.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.126 s
21	And maker should logout	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the given asset is sold at higher price	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the given asset is sold at higher price	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

| | Kastle Universal Banking (Beta) | 19-Oct-2022 English ˅ Azentio Software ˅ (AZENTMAIN) | Record is available in CHECKER's Open Pool with status PENDING |

No Module Mapped

← Fixed Asset Sale

* Asset Reference Number	Asset code	Asset Description
FIXTURESANDFITTINGS1-TABLESANDCHAIRS... × ˅	FIXTURESANDFITTINGS1-TABLESANDCHAI	stairs

* Item Number	Asset Value	Total Asset Value
Stair-01 × ˅	2,000,000.000 INR	2,000,000.000 INR

Depreciation Amount	Book Value	Tax Rate
	2,000,000.000 INR	

* Sale Value	Profit On Sale GL	Loss On Sale GL
3,000,000.00 INR × ˅	1,000,000.000 INR	0.000 INR

* Actionable By	Username	* Remark
anant × ˅	1002435	ok

Status		
ACTIVE × ˅		

22 Appro... ⊗   11 Messa... ⊗   Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

| | Kastle Universal Banking (Beta) | 19-Oct-2022 English ˅ Azentio Software ˅ (AZENTMAIN) ⬤ CHECKER |

Configuration

🔧 ⬟ 📋

⊙ Security management

Welcome, Checker

22 Appro... ⊗   11 Messa... ⊗   Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check if the given asset is sold at higher price	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check if the given asset is sold at higher price	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the given asset is sold at
higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check if the given asset is sold at higher price

(F) FIXED ASSETS