# Cucumber Report

| Start : Mar 03, 1:14:45.402 pm | End : Mar 03, 1:15:48.257 pm | Duration : 1 m 2.855 s |
|:---:|:---:|:---:|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 16<br>FAILED - 1<br>SKIPPED - 0 |
| 1 | 1 | 17 |
| Pass % — 0 % | Pass % — 0 % | Pass % — 94 % |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the Functionality of AR/AP Module | 1 | 0 | 1 | 0 | 1 m 2.855 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the Functionality of AR/AP Module | Verify Accounting entries post GRN is cancelled | 17 | 16 | 1 | 0 | 1 m 2.847 s |

## (F)- Check the Functionality of AR/AP Module

| FAILED | DURATION - 1 m 2.855 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 17 | |
| / 1:14:45.402 pm // 1:15:48.257 pm / | | Pass - 0 |  | Pass - 16 |  |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- Verify Accounting entries post GRN is cancelled

| FAILED | DURATION - 1 m 2.847 s | | Steps | |
|---|---|---|---|---|
| / 1:14:45.410 pm // 1:15:48.257 pm / | |  | Total - 17 |  |
| Check the Functionality of AR/AP Module | | | Pass - 16 | |
| @KUBS_AR_AP_UAT_003_003_TC_02 | | | Fail - 1 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate The Azentio Url | PASSED | 13.015 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s |
| | screenshot | | |
| |  | | |
| 2 | Then Choose the second Tab Segment | PASSED | 0.348 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.225 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And Click On Main module Accounts payable | PASSED | 0.116 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| | screenshot | | |
| |  | | |
| 4 | Then Click On GRN Eye Icon | PASSED | 0.219 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.427 s |
| | screenshot | | |
| |  | | |
| 5 | And Click On Search Icon | PASSED | 0.154 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.311 s |
| | screenshot | | |
| |  | | |
| 6 | Then Enter the GRN status cancel | PASSED | 0.260 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.178 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And Get the Branchcode and Ref No | PASSED | 0.132 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | screenshot | | |
| |  | | |
| 8 | Then Third Segment report Icon | PASSED | 0.316 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | screenshot | | |
| |  | | |
| 9 | And Choose Enquiry Module | PASSED | 0.143 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.163 s |
| | screenshot | | |
| |  | | |
| 10 | Then Click Note iCon near by financial transction | PASSED | 0.175 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.212 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And choose branch code | PASSED | 0.315 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |
| |  | | |
| 12 | And click on transaction from date in calender | PASSED | 0.170 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| | screenshot | | |
| |  | | |
| 13 | Then Select from date in calender | PASSED | 0.836 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.131 s |
| | screenshot | | |
| |  | | |
| 14 | And click on transaction to date in calender icon | PASSED | 0.130 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.144 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 15 | Then Select To date in calender | PASSED | 0.826 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
|  | screenshot | | |
|  |  | | |
| 16 | And Click View HyperLink | PASSED | 0.088 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.185 s |
|  | screenshot | | |
|  |  | | |
| 17 | Then Verify Accounting entries post GRN is cancelled | FAILED | 25.254 s |
|  | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [accc5bac626b409ea104999e72c4504f, isElementDisplayed {id=15eadaaa-aa01-437d-8632-789a10ea373a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L. ..}, goog:chromeOptions: {debuggerAddress: localhost:55912}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55912/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (accc5bac626b409ea104999e72c4504f)] -> xpath: //span[contains(text(),'GRN-Agency-8-125-2822022')]] Session ID: accc5bac626b409ea104999e72c4504f<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) <br> at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) <br> at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307) <br> at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) <br> at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) <br> at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) <br> at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) <br> at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) <br> at helper.WaitHelper.waitForElementVisible(WaitHelper.java:60) <br> at stepdefinitions.ARAP_CancellationOfGRN.verify_accounting_entries_post_grn_is_cancelled(ARAP_CancellationOfGRN.java:479) <br> at ?.Verify Accounting entries post GRN is cancelled(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:20) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 12.141 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [accc5bac626b409ea104999e72c4504f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55912}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55912/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: accc5bac626b409ea104999e72c4504f <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) <br> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) <br> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) <br> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) <br> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) <br> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.276 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [accc5bac626b409ea104999e72c4504f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55912}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55912/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: accc5bac626b409ea104999e72c4504f<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

☰  🌐  Kastle Universal Banking (Beta)          19-Oct-2022  English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 🖥 👤 ANANT

| Finance ▾ | | |
| --- | --- | --- |

🔧    ⇄    📋

⊘ Reports
⊘ Financial reporting
⊘ Enquiry
▶ Financial transaction  ✎
⊘ Petty cash

←  GRN View                                                                                                                    ✕

| Actions | Branch Code - Name | GRN Number | Business Partner | Date | GRN Status | Create By | Create Date |
| --- | --- | --- | --- | --- | --- | --- | --- |
| | Search Branch Co | Search GRN Num | Search Business F | Search Date | CANCELLED | Search Create By | Search Cre |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-Agency-8-125-28 | Bonton Agency | 19-Oct-2022 | CANCELLED | admin | 28-Feb-2022 |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-null-111-2622022 | suvarana Pvt Ltd | 19-Oct-2022 | CANCELLED | admin | 26-Feb-2022 |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-null-110-2622022 | Flutura Manufacturing C | 19-Oct-2022 | CANCELLED | admin | 26-Feb-2022 |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-Agency-8-97-232 | Bonton Agency | 23-Feb-2022 | CANCELLED | admin | 23-Feb-2022 |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-Agency-19-96-23 | Gangeeta | 23-Feb-2022 | CANCELLED | admin | 23-Feb-2022 |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-Agency-15-79-12 | DELUXE 001 | 12-Feb-2022 | CANCELLED | admin | 12-Feb-2022 |
| 👁 ✎ | HO0001 - Corporate Bra | GRN-VENDOR-2-51-17 | Rajesh Ramlal Sharma | 17-Dec-2021 | CANCELLED | admin | 17-Dec-2021 |
| 👁 ✎ | AZENTMAIN - Azentio N | GRN-VENDOR-6-13-21 | Pramod | 02-Dec-2021 | CANCELLED | admin | 02-Dec-2021 |

10 total                                                                     |◀  ◀   **1**  2  ▶  ▶|

                                                                                                ⊕

22 Appro... ✕   11 Messa... ✕

⠿ Home       ➤ Preference

---

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

☰  🌐  Kastle Universal Banking (Beta)          19-Oct-2022  English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 🖥 👤 ANANT

| Finance ▾ | | |
| --- | --- | --- |

🔧    ⇄    📋

⊘ Reports
⊘ Financial reporting
⊘ Enquiry
▶ Financial transaction  ✎
⊘ Petty cash

Financial Transaction                                                                                          VIEW

| * Branch Code | Branch Name | GI Code |
| --- | --- | --- |

| Transaction From Date  📅 | Transaction To Date  📅 | Transaction Ref No |
| --- | --- | --- |

Account Number

22 Appro... ✕   11 Messa... ✕

⠿ Home       ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Accounting entries post GRN is cancelled

(F) Check the Functionality of AR/AP Module