
Start: Mar 31, 5:29:11.059 PM End: Mar 31, 5:29:45.249 PM **Duration: 34.190 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 18 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 34 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 52 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the General Ledger Module	1	0	1	0	34.190 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	check Accounting schemes should mapped to the same	34	18	1	15	34.187 s
		<u>Transaction event</u>					

DETAILED SECTION -- 4 --

(F)- testing the General Ledger Module

FAILED	DURATION - 34.190 s	Scenarios		Steps	
		Total - 1		Total - 34	
/5:29:11.059 PN	M // 5:29:45.249 PM /	Pass - 0	1	Pass - 18	34
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- check Accounting schemes should mapped to the same Transaction event



- -	#	Step / Hook Details	Status	Duration
1		Given Login as a Azentio Maker	PASSED	10.654 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
		screenshot		
		■ © VANDESCRIPTION VANDESCRIPTION © ■ © STATE CONTINUE C		
2		When user click the Accounting setup	PASSED	0.100 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
		screenshot		

3 And click the Accounting Scheme Event Mapping Eye icon AFTER_STEP - stepdefinitions HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario))	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED O.243 s Screenshot APASSED O.159 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.282 s PASSED O.163 s O.190 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.192 s		To To To To To To To To		
screenshot 4 And click add icon in Gl AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s 0.296 s	3			
4 And click add icon in GI AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.090 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s			PASSED	0.243 s
4 And click add icon in Gl AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And select the event AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.296 s 0.296 s 0.282 s 0.163 s				
Screenshot 5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.282 s 0.163 s 0.163 s	4	And click add icon in GI	PASSED	0.159 s
5 And select the event PASSED 0.282 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.090 s 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
5 And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.282 s 0.163 s 0.163 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s PASSED 0.192 s		- - - - - - - - - -		
Screenshot 6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.090 s 0.192 s	5	And select the event	PASSED	0.282 s
6 And click the Scheme AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.090 s 0.192 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
6 And click the Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.090 s 0.192 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s				
	6	And click the Scheme	PASSED	0.090 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
		screenshot		

#	Step / Hook Details	Status	Duration
	■		
7	And click Add button	PASSED	0.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
8	And click next Scheme	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
9	And click Add button	PASSED	0.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
	*** On the control of		
10	And click save button in event mapping	PASSED	0.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot	7	
	·	•	-

#	Step / Hook Details	Status	Duration
	The state of the s		
11	And Click on notification icon	PASSED	1.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
12	And select the first record	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.236 s
13	And click on submit button	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.159 s
14	And enter remark in alert tab	PASSED	2.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		


15 And click on submit AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s 0.766 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.162 s 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s				
screenshot 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario) PASSED 0.766 s AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario) PASSED 0.152 s 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass. add/Screenshot(io.cucumber.java.Scenario) PASSED 0.174 s	15	And click on submit	PASSED	4.117 s
16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.766 s PASSED 0.152 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.766 s PASSED 0.152 s 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s PASSED 0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.111 s Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.766 s O.152 s 1.401 s PASSED O.774 s				
Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.766 s 0.152 s	16	Given Navigate to Url and login as a reviewer	PASSED	6.927 s
Then Click on Notification button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Screenshot And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 1.401 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 0.766 s 0.152 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s PASSED 0.766 s PASSED 0.172 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.152 s		To the contract of the contrac		
Screenshot 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s	17	Then Click on Notification button	PASSED	0.766 s
18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s				
	18	And Find the budget code which submitted from maker	PASSED	1.401 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
		screenshot	7	

#	Step / Hook Details	Status	Duration
	The Control of Control		
19	Then Click on action button	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[contains(text(),'38]/parent::datatable-body-cell/preceding-sibling-sibling-sib		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	** O SATIONAL PROPERTY OF THE		
20	And Approve the record	SKIPPED	0.001 s
21	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
22	Then Click the Notification icon	SKIPPED	0.000 s
23	And Click on security management	SKIPPED	0.000 s
24	Then Click on open pool	SKIPPED	0.000 s
25	And Click on claim button	SKIPPED	0.001 s
26	Then click on notification	SKIPPED	0.000 s
27	Then approve the records	SKIPPED	0.000 s
28	Given Login as a Azentio Maker	SKIPPED	0.000 s
29	When user click the Accounting setup	SKIPPED	0.000 s
30	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
31	And click the search icon	SKIPPED	0.000 s
32	And search Event name based on which we created	SKIPPED	0.000 s
33	And clck the first edit icon in list view	SKIPPED	0.000 s
34	Then verify System should allow to map to the transaction event more than one Accounting Scheme	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION --- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

