Cucumber Report

Mar 25, 2022, 2:08:48 PM

Start : Mar 25, 2:07:47.820 PM	End : Mar 25, 2:08:45.087 PM	Duration : 57.267 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 15









#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	57.267 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	Return inventories unwanted by branch to issuers	35	19	1	15	57.262 s

(F)- To verify user can see the GL report for stock return to vendors

FAILED	DURATION - 57.267 s	Scenarios		Steps	
/ 2:07:47.820 PM // 2:08:45.087 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 35 Pass - 19 Fail - 1 Skip - 15	

(S)- Return inventories unwanted by branch to issuers

FAILED	DURATION - 57.262 s		Steps	
/ 2:07:47.825 PM // 2:08:45.087 PM /			Total - 35 Pass - 19 Fail - 1 Skip - 15	
To verify user can see the GL report for stock return to vendors				
@KUBS_INV_MGMT_UAT_005_StockReturn				

#	Step / Hook Details	Status	Duration
1	Given Azentio Maker user url	PASSED	17.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.427 s
	screenshot		
			
2	Then Click on Second icon page	PASSED	0.412 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click Inventory Management module	PASSED	0.899 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
4	And Click on stock return from branch SubModule Eye icon	PASSED	0.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
			
5	Then Click on stock return from branch Add icon	PASSED	0.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
	screenshot		
			
6	And Click on Request Referance No code	PASSED	1.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on Issue Referance No code	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
8	And Click on item code	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
9	And Enter Return Quantity Stock value	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
10	Then Click on Return Type and Choose Type	PASSED	0.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And Click on Return Reason and Choose Type	PASSED	0.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			
12	Then Save the Inventory Stock Record	PASSED	3.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
13	And goto the maker Notification icon	PASSED	1.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
			
14	Then Click Submit icon to Inventory Record	PASSED	0.800 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And Give Remark and submit Inventory field	PASSED	1.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
			
16	Given Login As Reviewer user	PASSED	14.462 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.082 s
	screenshot		
			
17	And Goto the Reviewer Notification	PASSED	1.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
18	Then Find submitted Record from maker End and open the Record	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
19	And Approve the Record from Reviewer End	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.207 s
20	Then Enter The Remark and submit from Reviewer End	FAILED	0.098 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at jdk.internal.reflect.GeneratedMethodAccessor7.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.INVENTORY_StockReturnBranch.enter_the_remark_and_submit_from_reviewer_end(INVENTORY_StockReturnBranch.java:264) at ?.Enter The Remark and submit from Reviewer End(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:80) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	0.209 s
21	Given Login As Checker user	SKIPPED	0.001 s
22	Then Click module Security management	SKIPPED	0.000 s
23	And Click Sub module open Pool	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
24	And Claim the Record Which submit from Reviewer	SKIPPED	0.000 s
25	Then Goto the Checker Notification	SKIPPED	0.000 s
26	And Find submitted Record from Reviewer End and Open the Record	SKIPPED	0.000 s
27	Then Get Item Description value	SKIPPED	0.000 s
28	And Approve the Record from Checker End	SKIPPED	0.000 s
29	Then Enter the Remark and submit from checker End	SKIPPED	0.000 s
30	Given Azentio Maker user url	SKIPPED	0.000 s
31	Then Click on Inventory Maintance module	SKIPPED	0.001 s
32	And click on Master Item eye icon	SKIPPED	0.001 s
33	Then click on the search icon	SKIPPED	0.000 s
34	And Give Item description value and Click Edit icon	SKIPPED	0.000 s
35	When validate the quantity of the Item	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Return inventories unwanted by branch to issuers

(F) To verify user can see the GL report for stock return to vendors