Cucumber Report

Start : May 06, 12:42:29.000 PM	*End : May 06, 12:43:27.755 PM*	*Duration : 58.755 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	58.755 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Click on Process button on Bank Recon Process screen post creating additional entries	20	18	1	1	58.751 s

(F)- testing the fuctionalities of bank reconciliation module

| FAILED	DURATION - 58.755 s	Scenarios		Steps	
/ 12:42:29.000 PM // 12:43:27.755 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 20 Pass - 18 Fail - 1 Skip - 1	20

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

| FAILED	DURATION - 58.751 s		Steps	
/ 12:42:29.004 PM // 12:43:27.755 PM /			Total - 20	
testing the fuctionalities of bank reconciliation module			Pass - 18 Fail - 1 Skip - 1	20
@KUBS_TAX_UAT_004_001TC_001				

| #	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	16.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
2	And user click bank recon module	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.520 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
5	And user select bank name in bank recon Module	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.266 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	1.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date	PASSED	2.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.444 s
	screenshot		
8	And user click bank recon to date and select the date	PASSED	1.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
9	And user click choose file and upload the bank statement	PASSED	0.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
10	And user click save button in bank recon	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	PASSED	4.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.178 s
12	And user click the unmatched data in bank recon process	PASSED	1.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.161 s
13	And user click matched data tab	PASSED	1.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.116 s
14	And user select bank reconcilation basis bank to book	PASSED	4.683 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.304 s

#	Step / Hook Details	Status	Duration
15	And user unmatch the matched records in matched tab	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
16	And user click the unmatched data in bank recon process	PASSED	1.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
17	And user match the records in unmached tab fot textt file	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
18	And user click matched data tab	PASSED	1.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	FAILED	0.031 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'RRN156')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [13d9de2e3dfa2ebfa9661ba4a96ba87b, findElement {using=xpath, value=//div[contains(text(),'RRN156')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58964}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58964/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 13d9de2e3dfa2ebfa9661ba4a96ba87b
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at stepdefinitions.Bank_ReconModule.user_verify_that_book_entry_will_be_matched_with_bank_entry_and_will_be_displayed_in_matched_tab(Bank_ReconModule.java:391)
	  at ?.user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:100)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		

#	Step / Hook Details	Status	Duration
20	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

	Kastle Universal Banking (Beta)			19-Apr-2023	English ▾	Azentio Software ▾	(AZENTMAIN)	ANANT

Finance

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon
- **Bank reconcilliation**

22 Appro... | 11 Messa...

Bank Reconciliation Details | **Matched Data** | Unmatched Data | Bank Reconciliation Statement

← Matched Data   UNMATCH

Bank Reconciliation Basis
Book to Bank   × ▾

Records from Book   🔍

Select	Value Date	Particulars	Transaction Mode	Instrument No	Dr.Amount	Cr.Amount	Verify
☐	2023-02-17	OK	WIRE	RRN444	560		Yes

1 total

Select	Transaction Date	Particulars	Transaction Mode	Instrument No	Withdrawal Amount	Deposit Amount

No data to display

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

	Kastle Universal Banking (Beta)			19-Apr-2023	English ▾	Azentio Software ▾	(AZENTMAIN)	ANANT

Finance

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon
- **Bank reconcilliation**

22 Appro... | 11 Messa...

Bank Reconciliation Details | Matched Data | **Unmatched Data** | Bank Reconciliation Statement

← Unmatched Data   MATCH

Records from Book   🔍

Select	Value Date	Transaction Date	Particulars	Transaction Mode	Instrument No	Dr.Amount	Cr.Amount
☐	2023-03-13	2023-04-19	ok	WIRE	rrn454	800	

1 total

Records from Bank Statement   🔍

Unmatch	Transaction Date	Value Date	Particulars	Transaction Mode	Instrument No	Withdrawal Amount	Deposit Amou
☐	2023-02-17	2023-02-17	OK		RRN156		7000

1 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module