Cucumber Report

Jan 12, 2022, 6:04:56 PM

Start : Jan 12, 6:04:33.421 PM	End : Jan 12, 6:04:55.551 PM	Duration : 22.130 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 15 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	22.130 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify maker can able to create budget code in auto auth	15	15	0	0	22.124 s

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 22.130 s	Scenarios		Steps	
/ 6:04:33.421 PM // 6:04:55.551 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 15 Pass - 15 Fail - 0 Skip - 0	

(S)- To verify maker can able to create budget code in auto auth

PASSED	DURATION - 22.124 s		Steps	
/ 6:04:33.427 PM // 6:04:55.551 PM /			Total - 15 Pass - 15 Fail - 0 Skip - 0	
To check BudgetDefinition moduel feature				
@Auto_auth_budget_code_creation				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.529 s
	screenshot		
	+		
2	Then click on budget configuration Menu	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on budget definition sub menu and click on eye icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.473 s
	screenshot		
			
4	And click on add icon	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
5	Then enter budget code	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
6	And enter budget type	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And enter warning percentage	PASSED	0.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
8	And enter budget name	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
			
9	Then give remark	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
10	Then click on save button	PASSED	3.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Click on notification icon	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		
			
12	And select the first record	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
			
13	Then click on approve button	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
			
14	And enter remark in alert tab	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
15	And click on submit	PASSED	0.053 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	 +		

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can able to create budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify maker can able to create budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can able to create budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can able to create budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can able to create budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify maker can able to create budget code in auto auth	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To verify maker can able to create budget code in auto auth

(F) To check BudgetDefinition moduel feature