Cucumber Report

Start : Feb 07, 6:31:03.563 PM	End : Feb 07, 6:31:31.733 PM	Duration : 28.170 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 6
1	1	20
0 %	0 %	65 %

#	Feature Name	T	P	F	S	Duration
1	_Check the Functionality of Inventory_	1	0	1	0	28.170 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Create a GRN	20	13	1	6	28.163 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 28.170 s			Scenarios		Steps	
/ 6:31:03.563 PM // 6:31:31.733 PM /				Total - 1		Total - 20	
				Pass - 0	1	Pass - 13	20
				Fail - 1		Fail - 1	
				Skip - 0		Skip - 6	

(S)- Create a GRN

| FAILED	DURATION - 28.163 s		Steps	
/ 6:31:03.570 PM // 6:31:31.733 PM /			Total - 20	
Check the Functionality of Inventory			Pass - 13	20
@KUBS_INV_MGMT_UAT_001_004			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	12.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.605 s
	screenshot		
2	Then Click on Finance	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Direction	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
4	Then Click on Accounts Payable	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
6	Then Click on Add button	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Fill the form for GRN	PASSED	1.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
8	Then Click on save button	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
9	Then Select PO Number	PASSED	3.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
10	Then Add qty received qty approved	PASSED	1.489 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on GRN item save button	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
12	Then Click on Notification button	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
13	And Select record which we saved	PASSED	0.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
14	And Submit the record	FAILED	0.435 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2465a34c8b76532e75b05a7fbecf942, clickElement {id=f12584f8-9083-47ed-9ad7-0b9e6a0b6269}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir:		

| #	Step / Hook Details	Status	Duration

	C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60696}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60696/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d2465a34c8b76532e75b05a7fbecf942)] -> xpath: //span[contains(text(),'Submit')]] Session ID: d2465a34c8b76532e75b05a7fbecf942
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.InventoryManagament.submit_the_record(InventoryManagament.java:187)
	   at ?.Submit the record(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:49)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.143 s
15	Then Open Reviewer account	SKIPPED	0.001 s
16	And Click on notification	SKIPPED	0.000 s
17	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
18	Then Go to Checker account	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
19	And Clam the record	SKIPPED	0.000 s
20	Then Click on notification and approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a GRN	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a GRN	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a GRN	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a GRN	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	233	GRN_EVENT	MAKER	MAKER	1002435
✏	232	GRN_EVENT	MAKER	MAKER	1002435
✏	231	GRN_EVENT	MAKER	MAKER	1002435
✏	230	GRN_EVENT	MAKER	MAKER	1002435
✏	229	GRN_EVENT	MAKER	MAKER	1002435

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory