

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	15.920 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify user can able to see modification history of	11	11	0	0	15.914 s
	<u>feature</u>	updated budget code in autoauth					

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 15.920 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:05:13.592 A	AM // 9:05:29.512 AM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user can able to see modification history of updated budget code in autoauth

PASSED	DURATION - 15.914 s	10		<u> </u>	;	- + -	;	- + -	;		- ;		- ;		Steps	
/ 9·05·13 598	8 AM // 9:05:29.512 AM /	8	╬	▋											Total - 11	
7 3.03.13.330	3 AW // 3.03.23.312 AW /	6			;		;		;						Pass - 11	11
To check Bud	lgetDefinition moduel feature	2]												Fail - 0	
@Modification	n_history_autoAuth	0		<u> </u>	<u> </u>	<u> </u>		<u></u>		<u></u>	<u> </u>	_	<u> </u>		Skip - 0	
	· · · · · · · · · · · · · · · · · · ·			1	2	3	4	5	6	7	8	9	10	11		

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.565 s
	screenshot		
	■ © 100 (1997) 100 (1997)		
2	Then click on budget configuration Menu	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		


After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTE	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Find the budet code in the list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s 0.462 s		The contract of the contract		
screenshot And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.145 s	3	And click on budget definition sub menu and click on eye icon	PASSED	0.153 s
And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.027 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
4 And Find the budet code in the list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED APASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED APASSED		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And verify system should display the name or id who created the record And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s 0.180 s 0.180 s		Part		
screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s PASSED 0.145 s	4	And Find the budet code in the list	PASSED	0.077 s
Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s 0.145 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s PASSED 0.027 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s		# O contributions P contributions P contri		
Screenshot 6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s 0.145 s	5	Then verify system should display the status of the record	PASSED	0.083 s
6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s 0.145 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s 0.145 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s		## O MAN CONTINUES		
	6	And verify system should display the name or id who created the record	PASSED	0.027 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
		screenshot]	

7 And verify system should display record created date PASSED 0.023 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.067 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.067 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.021 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.08 s Then verify system should display name or id of the authorized person of that record PASSED O.067 s		## Of the Control of		
screenshot After_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_step - step -	7	And verify system should display record created date	PASSED	0.023 s
8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And verify system should display record modified date And verify system should display record modified date And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARSED ARS		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display name or id of the authorized person of that record PASSED 0.021 s PASSED 0.113 s 0.021 s PASSED 0.108 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display name or id of the authorized person of that record PASSED 0.113 s 0.113 s 0.108 s 0.021 s 0.108 s		10		
screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display name or id of the authorized person of that record PASSED 0.021 s 0.108 s PASSED 0.067 s	8	And verify system should display the name or id who made changes the record at last	PASSED	0.020 s
9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify system should display name or id of the authorized person of that record PASSED 0.021 s 0.108 s 0.108 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
9 And verify system should display record modified date PASSED 0.021 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED 0.108 s ### PASSED 0.067 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record PASSED 0.108 s PASSED 0.067 s		# O AND PROMISED NOT THE PARTY OF THE PARTY		
Screenshot Then verify system should display name or id of the authorized person of that record PASSED 0.067 s	9	And verify system should display record modified date	PASSED	0.021 s
10 Then verify system should display name or id of the authorized person of that record PASSED 0.067 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
10 Then verify system should display name or id of the authorized person of that record PASSED 0.067 s		screenshot		
		## OF ADMINISTRATION ## OF ADMINISTRATION		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.166 s	10	Then verify system should display name or id of the authorized person of that record	PASSED	0.067 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
screenshot		screenshot]	


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY OF THE PRO		
11	And verify system should diplay the authorized date	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
	## OF THE PROPERTY OF THE PROP		


EXPANDED SECTION --- 8 --




EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

