Cucumber Report

| **Start : Feb 07, 1:55:09.047 pm**	**End : Feb 07, 1:55:29.919 pm**	**Duration : 20.872 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 15

#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	20.872 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	Check inventory stock confirmation	25	9	1	15	20.867 s

(F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 20.872 s		Scenarios		Steps	
			Total - 1		Total - 25	
/ 1:55:09.047 pm // 1:55:29.919 pm /			Pass - 0	1	Pass - 9	25
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 15	

(S)- Check inventory stock confirmation

FAILED	DURATION - 20.867 s		Steps	
/ 1:55:09.052 pm // 1:55:29.919 pm /			Total - 25	
Check unwanted inventory stock can be return to the Branch			Pass - 9	25
			Fail - 1	
@KUBS_INV_MGMT_UAT_004_StockConfirm			Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	12.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Inventory Management Module	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
4	Then Click on Inventory stock confirmation eye icon	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
5	And Sub module Inventory stock confirmation click Add icon	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
6	Then Enter Request Referance Number	PASSED	0.430 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And Enter Item code Number	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.211 s
8	Then Accept the status in checkbox	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.158 s
9	And click the save icon for StockConfirm	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.239 s
10	And goto maker Notification icon	FAILED	1.205 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-myq-c276="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1254, 28). Other element would receive the click: <div class="ng-tns-c135-0 toast-title ng-star-inserted" aria-label="Inventory Stock Confimation" style="">...</div> (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch:		

#	Step / Hook Details	Status	Duration

	'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3d9385d984d037bced35dcf4fd80fb1a, clickElement {id=0e4510d6-bc09-483c-a2e0-3e84d66c5fb0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57719/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3d9385d984d037bced35dcf4fd80fb1a)] -> xpath: //ion-button[@ng-reflect-router-link='/inbox']] Session ID: 3d9385d984d037bced35dcf4fd80fb1a
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.INVENTORY_StockReturnBranch.goto_maker_notification_icon(INVENTORY_StockReturnBranch.java:431)
	    at ?.goto maker Notification icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:44)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.177 s

#	Step / Hook Details	Status	Duration
11	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
12	And Give Remark and submit to reviewer	SKIPPED	0.001 s
13	Given Login As Reviewer	SKIPPED	0.000 s
14	And Goto Reviewer Notification	SKIPPED	0.000 s
15	Then open the submitted Record from maker	SKIPPED	0.001 s
16	And Approve the Record in Reviewer	SKIPPED	0.000 s
17	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s
18	Given Login As Checker	SKIPPED	0.000 s
19	Then Click Security management module	SKIPPED	0.000 s
20	And Click Sub module open Pool Edit icon	SKIPPED	0.000 s
21	And Claim the submitted Record	SKIPPED	0.001 s
22	Then Goto Checker Notification	SKIPPED	0.000 s
23	And Open the Record Approve from Reviewer	SKIPPED	0.001 s
24	And Approve the Record in Checker End	SKIPPED	0.000 s
25	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check inventory stock confirmation (F) Check unwanted inventory stock can be return to the Branch	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check inventory stock confirmation (F) Check unwanted inventory stock can be return to the Branch	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch