


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	35.210 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	Checking accountsPayable and	Verify cancelling Advance To employee is not allowed if the	40	7	1	32	35.204 s
	accounts Receivable module	same has been adjusted at payment settlement					

DETAILED SECTION --- 4 -

(F)- Checking accounts Payable and accounts Receivable module

FAILED	DURATION - 35.210 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 4:13:21.294 PN	M // 4:13:56.504 PM /	Pass - 0	1	Pass - 7	40
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

(S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 35.204 s	15 -	-	- + -	-			-1-		-		-	-1		-1			Steps		
/ 4:13:21.300 PM // 4:13:56.504 PM /	10 -		- 1 -				-1							-1			Total - 40		
Checking accountsPayable and accounts	5 -	_		<u>.</u> .					<u>.</u> .			ļ.,	. <u>.</u> .				Pass - 7	40	
Receivable module	0 -				_						<u>.</u> .	<u>.</u>	<u> </u>	<u> </u>	<u> </u>		Skip - 32		
@KUBS_AR_AP_UAT_003_008_TC_03		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	16.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	■ Particular States Market		
2	And Goto accounts receivable advances module	PASSED	1.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		

3 Then click on search AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 And go to accounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And go to accounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucum	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.271 s 0.271 s		© ************************************		
screenshot And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	Then click on search	PASSED	0.089 s
And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.233 s PASSED 0.207 s Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.146 s		9		
Screenshot 5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.240 s PASSED 0.146 s	4	And select the advance to employee active record	PASSED	0.511 s
5 And go to aacounts payable module PASSED 0.233 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s 0.207 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
5 And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 1.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.146 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.240 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.207 s		© surface 1		
Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s	5	And go to aacounts payable module	PASSED	0.233 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.240 s 0.146 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s		• Mana		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s	6	And Go to payment settlement module	PASSED	1.240 s
screenshot				
		screenshot	1	


#	Step / Hook Details	Status	Duration
	■		
7	And click on Add Icon	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
	■ © 100 (100 (100 (100 (100 (100 (100 (10		
8	And fill the form for settlement	FAILED	4.213 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "path", "selector": "/td[@aria-label='October 19, 2022]/span"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '14.00-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [5fa5683d192204008a041717b749069c, findElement (using=xpath, value=//td[@aria-label=October 19, 2022]/span]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC=1\AppData\L}, goog:chromeOptions: (debuggerAddress: localhost:63125), javascriptEnabled: frue, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/localhost:63125/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: 5fa5683d192204008a041717b749069c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openga.selenium.remote.ElementLo		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.fill_the_form_for_settlement(ACCOUNTSPAYABLE_PaymentSettlement. java:330) at ?.fill the form for settlement(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/ Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:348) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
	Particularity		
9	And Save the form	SKIPPED	0.000 s
10	And click notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record	SKIPPED	0.001 s
12	And click on Submit button	SKIPPED	0.001 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s
17	And login with reviewer credentials	SKIPPED	0.000 s
18	Then click on notification button	SKIPPED	0.000 s
19	And select our record in notification records using reference ID	SKIPPED	0.001 s
20	Then Approve the record from reviewer	SKIPPED	0.000 s
21	And enter the remark in alert	SKIPPED	0.000 s
22	Then click on submit in alert	SKIPPED	0.000 s
23	Then verify the approval status of the record	SKIPPED	0.000 s
24	And logout from reviewer	SKIPPED	0.000 s
25	Then login as a checker	SKIPPED	0.001 s
26	And click on security management menu in checker	SKIPPED	0.000 s
27	Then click on action button under security management menu	SKIPPED	0.000 s
28	And select our record and clime using reference ID	SKIPPED	0.000 s
29	Then click on Notification button	SKIPPED	0.001 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
31	And click on approve button in checker stage	SKIPPED	0.000 s
32	Then give alert remark	SKIPPED	0.001 s
33	Then click on submit button on alert	SKIPPED	0.000 s
34	And verify the record got approved from checker	SKIPPED	0.000 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.000 s
37	And goto arap adjustment main module	SKIPPED	0.000 s
38	Then go to ar ap adjustment module	SKIPPED	0.000 s
39	And click on Add Icon	SKIPPED	0.001 s
40	Then check the settlement completed advance can be cancelled	SKIPPED	0.000 s

EXPANDED SECTION



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

