Cucumber Report

| Start : Feb 22, 12:38:32.862 AM	End : Feb 22, 12:40:27.961 AM	Duration : 1 m 55.099 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 16

Features: 1

Scenarios: 1

Steps: 21

Pass %: 0 %

Pass %: 0 %

Pass %: 19 %

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 55.099 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create Bill against PO & GRN for above vendor	21	4	1	16	1 m 55.093 s

(F)- AR/AP Module

FAILED	DURATION - 1 m 55.099 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 12:38:32.862 AM // 12:40:27.961 AM /		Pass - 0	1	Pass - 4	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Create Bill against PO & GRN for above vendor

FAILED	DURATION - 1 m 55.093 s		Steps	
/ 12:38:32.868 AM // 12:40:27.961 AM /			Total - 21	
AR/AP Module			Pass - 4	21
@KUBS_AR/AP_UAT_001_001_TC_009			Fail - 1	
			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.270 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	1.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of invoice booking	PASSED	0.537 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.723 s
	screenshot		
4	And click on add button for invoice booking	PASSED	1.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.464 s
	screenshot		
5	And Fill the required fields for invoice booking	FAILED	8.292 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be071c49822c4d861671b6a53d09f269, clickElement {id=a4b40e77-d198-4861-9604-b12ad4dfb073}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55640}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55640/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (be071c49822c4d861671b6a53d09f269)] -> xpath: //owl-date-time-calendar/div/button[2]] Session ID: be071c49822c4d861671b6a53d09f269
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)		
	at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. fill_the_required_fields_for_invoice_booking(ACCOUNTSPAYABLE_InvoiceBooking.java:307)		
	at ?.Fill the required fields for invoice booking(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ArAp_InvoiceBooking.feature:10)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.410 s
6	Then Save and submit the invoice billing	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by the reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the invoice billing	SKIPPED	0.003 s

#	Step / Hook Details	Status	Duration
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.001 s
19	When click on eye button of invoice booking	SKIPPED	0.000 s
20	Then Get the invoice status	SKIPPED	0.001 s
21	And maker should logout	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Bill against PO & GRN for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Bill against PO & GRN for above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Bill against PO & GRN for
above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Bill against PO & GRN for
above vendor

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Bill against PO & GRN for
above vendor

(F) AR/AP Module