
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	1 m 15.089 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	Check Asset Limit Config	10	7	1	2	1 m 15.062 s

DETAILED SECTION

(F)- To verify the reports for fixed asset

FAILED	DURATION - 1 m 15.089 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 5:19:17.707 PI	M // 5:20:32.796 PM /	Pass - 0	1	Pass - 7	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check Asset Limit Config



#	Step / Hook Details	Status	Duration
1	And User get the limit config testdata for test case01	PASSED	5.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.423 s
	screenshot		
	+		
2	Given Maker Navigate to UAT URL login	PASSED	46.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.124 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AA And user should navigate to master reports menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.003 s AFTER_STEP stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.003 s AFTER_STEP stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.004 s	#	Step / Hook Details	Status	Duration
And user should navigate to master reports menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.466 s PASSED 0.329 s PASSED 0.178 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s PASSED 0.003 s PASSED 0.004 s	3	Then click on report icon	PASSED	3.131 s
4 And user should navigate to master reports menu PASSED 1.733 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.252 s 5 Then click on temp grid button of asset limit configuration PASSED 0.329 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.329 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.178 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.211 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.211 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.242 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
4 And user should navigate to master reports menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s PASSED 0.178 s PASSED 0.211 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.252 s 0.466 s PASSED 0.329 s 0.178 s 0.211 s		AMINO State for the state of t		
screenshot Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.242 s	4	And user should navigate to master reports menu	PASSED	1.733 s
5 Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
5 Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s PASSED 0.178 s PASSED 0.211 s 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s PASSED 0.003 s PASSED 0.242 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGA User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.329 s 0.178 s 0.211 s		State of the state		
screenshot Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s	5	Then click on temp grid button of asset limit configuration	PASSED	0.466 s
7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s 0.211 s PASSED 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s 0.242 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.211 s PASSED O.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.242 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s PASSED 0.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s		ACCIVICATION OF THE PROPERTY O		
Screenshot 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s 0.242 s	6	Then Get the system date for asset ammenment report	PASSED	0.178 s
7 And User get the limit config testdata for test case01 PASSED 0.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.242 s		State to the state of the state		
	7	And User get the limit config testdata for test case01	PASSED	0.003 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Section 1 and 1 an		
8	And select the accountings standards and date to check the asset limit are displaying	FAILED	0.217 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.FixedAsset_Reports. select_the_accountings_standards_date_to_check_the_asset_limit_are_displaying(FixedAsset_Reports.java:966) at ?.select the accountings standards and date to check the asset limit are displaying(file:///C:/Users/ININDC00073/git/ KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports. feature:242) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.285 s
	### A Property Company of the Compan		
9	Then click in the view button to check	SKIPPED	0.000 s
10	Then the report is displaying all the asset codes details for a branch	SKIPPED	0.000 s


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Limit Config


(F) To verify the reports for fixed asset



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

