Cucumber Report

Start : Jan 11, 4:28:44.274 PM	**End : Jan 11, 4:35:31.322 PM**	**Duration : 6 m 47.048 s**
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 17
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 14

1	1	32

0 %	0 %	53 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	6 m 47.048 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can able to reject the budget code after the record approved from reviewer	32	17	1	14	6 m 47.040 s

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 6 m 47.048 s		Scenarios		Steps	
			Total - 1		Total - 32	
/ 4:28:44.274 PM // 4:35:31.322 PM /			Pass - 0	1	Pass - 17	32
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 14	

(S)- To verify checker can able to reject the budget code after the record approved from reviewer

FAILED	DURATION - 6 m 47.040 s		Steps	
			Total - 32	
/ 4:28:44.282 PM // 4:35:31.322 PM /			Pass - 17	32
To check BudgetDefinition moduel feature			Fail - 1	
@Updated_Budget_Code_rejected_By_Checker			Skip - 14	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.479 s
	screenshot		
4	Then search the budget code want to update	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
5	And select the budget code	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
6	And update the budget code	PASSED	3.193 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then update the budget budget type	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
8	Then update warning percentage	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
9	Then update budget name	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
10	Then update remark	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And click on save after update all the details	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
	screenshot		
12	Then Click on notification icon	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
13	And select the first record	PASSED	0.683 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
14	Then click on submit button	PASSED	0.703 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And enter remark in alert tab	PASSED	0.795 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
16	And click on submit	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
17	When click on submit button save the reviewer id	PASSED	0.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
18	Given navigate to URL and login as a reviewer	FAILED	6 m 8.428 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7636b1bb8f0a51218a49b8f13055c667, findElement {using=xpath, value=//ion-title[contains(text(),'Welcome,')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...},		

| #	Step / Hook Details	Status	Duration

	goog:chromeOptions: {debuggerAddress: localhost:55527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55527/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7636b1bb8f0a51218a49b8f13055c667
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	  at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	  at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	  at stepdefinitions.KUBS_Login.logintoAzentioappReviewer(KUBS_Login.java:100)
	  at stepdefinitions.KUBS_reviewer.navigate_to_URL_and_login_as_a_reviewer(KUBS_reviewer.java:41)
	  at ?.navigate to URL and login as a reviewer(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:397)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.170 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7636b1bb8f0a51218a49b8f13055c667, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55527},		

#	Step / Hook Details	Status	Duration
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55527/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7636b1bb8f0a51218a49b8f13055c667 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:40)		
19	Then click on notification icon	SKIPPED	0.001 s
20	When click on notification icon to check reviewer can get a record which is submited by maker	SKIPPED	0.001 s
21	And click on action button	SKIPPED	0.000 s
22	And approve the record in reviewer stage	SKIPPED	0.000 s
23	Then enter remark then submit	SKIPPED	0.000 s
24	Given navigate to URL and login as a checker	SKIPPED	0.001 s
25	Then click on security management menu	SKIPPED	0.000 s
26	And click on Action icon in security management	SKIPPED	0.000 s
27	Then clime the record	SKIPPED	0.001 s
28	And click on notification icon in checker stage	SKIPPED	0.000 s
29	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
30	And click on action button in checker stage	SKIPPED	0.000 s
31	Then reject the record	SKIPPED	0.000 s
32	And write negative remark and submit it	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.239 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7636b1bb8f0a51218a49b8f13055c667, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45		

#	Step / Hook Details	Status	Duration

	(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55527}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55527/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7636b1bb8f0a51218a49b8f13055c667
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	   at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	   at stepdefinitions.HooksClass.TearDown(HooksClass.java:50)		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code after the record approved
from reviewer

(F) To check BudgetDefinition moduel
feature

| | Kastle Universal Banking | | 21-Oct-2021 English | Azentio Software | (AZENT-MAIN) | ANANT |

Finance

Budget Definition View

Actions		Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
👁 ✏		BDG0	Test	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏		BUDAR001	TEAM	HALFYEARLY	Active	1002435	11-Jan-2022	1002435
👁 ✏		BUD9592	Test	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏		BGD9592	Test	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏		BUDREQ001	BUD&REQ	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏		BUDG00019	Test	YEARLY	Active	1002437	11-Jan-2022	1002437
👁 ✏		BGD9528001	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
👁 ✏		BGD9501	Test	YEARLY	Active	1002437	29-Dec-2021	1002437

64 total

|◀ ◀ 1 2 3 4 5 ▶ ▶|

- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
  - ▶ Budget definition
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code after the record approved
from reviewer

(F) To check BudgetDefinition moduel
feature

| | Kastle Universal Banking | | 21-Oct-2021 English | Azentio Software | (AZENT-MAIN) | ANANT |

Finance

Budget Definition View

Actions		Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
		BUDAR001	Search Budget Na	Search Budget Typ	Search Status	Search Created By	Search Create dat	Search Mod
👁 ✏		BUDAR001	TEAM	HALFYEARLY	Active	1002435	11-Jan-2022	1002435

1 total

- Business partner setup
- Accounting setup
- General ledger configuration
- Expense/AR & AP configurati...
- Budget configuration
  - ▶ Budget definition
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code after the record approved
from reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code after the record approved
from reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can able to reject the budget code after the record approved from reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code after the record approved from reviewer (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can able to reject the budget code after the record approved from reviewer (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject the budget code after the record approved from reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can able to reject
the budget code after the record approved
from reviewer

(F) To check BudgetDefinition moduel
feature

☰ 🌐 Kastle Universal Banking   21-Oct-2021 English ⌄   Azentio Software ⌄   [AZENT MAIN] 👤 ANAI ✕

Finance   Record APPROVED
                                                                                                  ✓ Successfully, and Current Stage is
🔧   🚏   📋   ← Supplementary Budget Creation   REVIEWER with status PENDING
                                                                                                  from 1993.

⊙ Business partner setup   * Budget Code   Budget Name   * Budget Type
                                      BDG02   BDG02   QUARTERLY
⊙ Accounting setup
                                      * Budget Year   * Branch   * Total Budget Amount
⊙ General ledger configuration   2022-2023   CO   × ⌄   40,000.00 RUP

⊙ Expense/AR & AP configurati...
                                      Amount Utilized   * Supplementary Amount Req   *
⊙ Budget configuration   10.00   RUP × ⌄

▶ Budget definition   ✎   👁
                                      Comments
⊙ Fixed assets configuration

⊙ Inventory maintenance   Period   Existing   Supplementary Apportion Amount   New Amount

⊙ Bank recon   Quater 1   5,000.00   5,000.00

⊙ Petty cash configuration   Quater 2   5,000.00   5,000.00

                                      Quater 3   5000   10.00   5,010.00

22 Appro... ✕   11 Messa... ✕   Quater 4   25000   25,000.00

                                                        ▦   ➤
                                                       Home   Preference