Cucumber Report

| Start : Feb 18, 4:23:40.270 AM	End : Feb 18, 4:27:09.029 AM	Duration : 3 m 28.759 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 1 SKIPPED - 5

1

1

21

Pass %

0 %

Pass %

0 %

Pass %

71 %

#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	3 m 28.759 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*FIXED ASSETS*	*Asset Creation*	21	15	1	5	*3 m 28.752 s*

(F)- FIXED ASSETS

FAILED	DURATION - 3 m 28.759 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 4:23:40.270 AM // 4:27:09.029 AM /		Pass - 0	1	Pass - 15	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Asset Creation

FAILED	DURATION - 3 m 28.752 s		Steps	
			Total - 21	
/ 4:23:40.277 AM // 4:27:09.029 AM /			Pass - 15	21
FIXED ASSETS			Fail - 1	
@KUBS_FAT_UAT_005_Creation			Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	29.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.238 s
	screenshot		
2	And user should navigate to fixed asset menu	PASSED	1.538 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of asset creation	PASSED	1.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.288 s
	screenshot 		
4	And click on add button to create asset record	PASSED	0.893 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.236 s
	screenshot 		
5	And Fill the required fields to create asset	PASSED	2.633 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot 		
6	Then Save and submit the asset creation record	PASSED	25.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	45.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.693 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.425 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.607 s
	screenshot		
9	And approve the record by reviewer user	PASSED	6.889 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	11.530 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
12	Then Click on open pool in checker	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
13	And Click on claim button in checker	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
14	And capture claimed status	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot 		
16	Then checker should approved the asset creation record	FAILED	4.172 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1193, 28). Other element would receive the click: ... (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7f0cfd4736056381dc8c8800f759ac90, clickElement {id=779a55d2-2ee4-47a6-9701-6216d1ac471e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56481}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56481/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7f0cfd4736056381dc8c8800f759ac90)] -> xpath: //span/ion-button[1]/span] Session ID: 7f0cfd4736056381dc8c8800f759ac90
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:234) at ?.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.119 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
18	And user should navigate to fixed asset menu	SKIPPED	0.000 s
19	When click on eye button of asset creation	SKIPPED	0.000 s
20	Then click on first eye button to get the Asset Reference Number	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

	Kastle Universal Banking (Beta)		19-Oct-2022 English	Azentio Software	(AZENTMAIN)	ANANT

Finance

← Asset Creation View

Actions	Entity	Branch Code - Name	Asset Code	Asset Description	Asset Reference No	External Reference No	Status
👁 ✏	Azentio Software	BR0007 – Andheri Branc	01-001-Plastic chairs	plastic chairs for canteer	01-001-Plastic chairs_Bl		Active
👁 ✏	Azentio Software	HO0001 – Corporate Br:	01-001-adjustable table	adjustable table	01-001-adjustable table		Active
👁 ✏	Azentio Software	BR0007 – Andheri Branc	LAND-BUILDING-Buildi	Building	LAND-BUILDING-Buildi		Active
👁 ✏	Azentio Software	HO0001 – Corporate Br:	LAND-BUILDING-Buildi	Building	LAND-BUILDING-Buildi		Active
👁 ✏	Azentio Software	AZENTMAIN – Azentio M	LAND-BUILDING-Buildi	Building	LAND-BUILDING-Buildi		Active
👁 ✏	Azentio Software	BR0007 – Andheri Branc	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active
👁 ✏	Azentio Software	BR0003 – East Zone	LAND-BUILDING-Buildi	Building	LAND-BUILDING-Buildi		Active
👁 ✏	Azentio Software	BR0007 – Andheri Branc	LAND-BUILDING-Buildi	Building	LAND-BUILDING-Buildi		Active

214 total

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Asset creation
Asset transfer
Asset undertaking
Asset sale
Asset allocation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

	Kastle Universal Banking (Beta)		19-Oct-2022 English	Azentio Software	(AZENTMAIN)	ANANT

Finance

← Fixed Asset Creation

* Branch Code   Branch Discription   Depreciation Applicable

Depreciation Period   * Asset code   Asset Description

GRN Reference No   Asset Reference Number   Bill Reference No

External Ref No   Rounding Method   * Asset Life Unit

Depreciation Period

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Asset creation
Asset transfer
Asset undertaking
Asset sale
Asset allocation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

| ☰ 🌐 Kastle Universal Banking (Beta) | 19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 >_ 👤 REVIEWER |

No Module Mapped ▾

Welcome, Reviewer

| 22 Appro... ✕ | 11 Messa... ✕ | | Home | ▶ Preference |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

| ☰ 🌐 Kastle Universal Banking (Beta) | 19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 >_ 👤 REVIEWER |

No Module Mapped ▾

← Inbox 🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏️	1436	ASSET_CREATION	REVIEWER	REVIEWER	1002436
✏️	410	BUDGET_CREATION	REVIEWER	REVIEWER	1002436
✏️	855	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	1002436
✏️	1315	ASSET_RETURN	REVIEWER	REVIEWER	1002436
✏️	1309	ASSET_RETURN	REVIEWER	REVIEWER	1002436

99 total |◁ ◁ **1** 2 3 4 5 ▷ ▷|

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Creation	
(F) FIXED ASSETS	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Creation	
(F) FIXED ASSETS	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Creation

(F) FIXED ASSETS

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |

(S) Asset Creation

(F) FIXED ASSETS

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) | |

(S) Asset Creation

(F) FIXED ASSETS