

Cucumber Report

Nov 28, 2022, 1:11:47 PM

Start : Nov 28, 1:11:16.688 PM

End : Nov 28, 1:11:46.315 PM

Duration : 29.627 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5

FAILED - 1

SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	29.627 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in approved queue with Active Status	15	5	1	9	29.623 s




(F)- AR/AP Module


FAILED	DURATION - 29.627 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 1:11:16.688 PM // 1:11:46.315 PM /					

(S)- PO should be created successfully and displayed in approved queue with Active Status

<div>FAILED</div> <div>DURATION - 29.623 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 1:11:16.692 PM // 1:11:46.315 PM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_001_001_TC_02_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	12.622 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.596 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	0.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot 		
4	Then Click on purchase order Add button	PASSED	1.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot 		
5	And user update the data set ID for Purchase Order	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot 		
6	Then Fill purchase order Mandatory fields org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary ios button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1337, 369). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-ios-h sc-ion-buttons-ios-s ios hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20b0427ec870bea9560debcc25ed182c, clickElement {id=ed65f30f-55c7-42c3-8746-ad1b5dd17f1c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\lININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:55502}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55502/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS	FAILED	3.557 s


#	Step / Hook Details	Status	Duration
	<p>(20b0427ec870bea9560debcc25ed182c)] -> xpath: //body[1]/app-root[1]/ion-app[1]/ion-modal[1]/div[3]/page-po-item-details[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[1]/ion-button[1]] Session ID: 20b0427ec870bea9560debcc25ed182c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)</p> <p>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)</p> <p>at helper.ClicksAndActionsHelper.clickOnElement(ClicksAndActionsHelper.java:22)</p> <p>at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:114)</p> <p>at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:71)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.168 s
7	Then Click on Account Payable Save button	SKIPPED	0.000 s
8	Then close the confrimation msg	SKIPPED	0.001 s
9	Then Click on Item Details Record	SKIPPED	0.000 s
10	Then Edit the item details fields	SKIPPED	0.000 s
11	Then Click on Account Payable Save button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then Click on Account Payable Notification	SKIPPED	0.000 s
13	Then Search purchase order record in List	SKIPPED	0.000 s
14	Then Select the record from Notification	SKIPPED	0.001 s
15	And Submit the Selected record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

≡

AZENTIO

ONEBanking

Finance

⚙️

🔍

🕒

🕒 General ledger transaction

🕒 Budget

🕒 Accounts payable

🕒 Vendor contracts

🕒 Vendor purchase orders

🕒 Goods received note (GRN)

🕒 Invoice booking

🕒 Payment settlement

🕒 Payment settlement cancellation

🕒 Auto payout

🕒 Manual payout

🕒 Payment file download

🕒 Payment response file upload

22 Appro...

11 Mess...

PO Creation View

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business Partner	Create Date	Created By	Modified Date	Modified By	Authorized
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-16-02112022	Shasheekant	03-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-16-02112022	Shasheekant	02-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-16-02112022	Shasheekant	02-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	02-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	02-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	02-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	01-Nov-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	11-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	31-Oct-2022	1002435			1002437
🔍	AZENTMAIN - Azentio	Azentio_Soft-VENDOF	11-Sep-2023	Expense Contract	VENDOR-30-3-2710	Viewas Kulkarni	27-Oct-2022	1002435			1002437

114 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

≡

AZENTIO

ONEBanking

Finance

⚙️

🔍

🕒

🕒 General ledger transaction

🕒 Budget

🕒 Accounts payable

🕒 Vendor contracts

🕒 Vendor purchase orders

🕒 Goods received note (GRN)

🕒 Invoice booking

🕒 Payment settlement

🕒 Payment settlement cancellation

🕒 Auto payout

🕒 Manual payout

🕒 Payment file download

🕒 Payment response file upload

22 Appro...

11 Mess...

PO creation

PO Details

* Entity Branch

Azentio Main Branch

* BP Name

DELUXE 001

Reference Type

Contract

* Contract

tokyo

* PO Type

Purchases Contract

PO Item

Sr	Contract Number	Expense Code	HSN Code	Description	Available Quantity	PO Qty	Total Amount	Cut
1	<input type="checkbox"/> Agency-15-25-14112i	<input type="text" value="8471-L..."/>	8471- Laptop	Laptop	10	<input type="text" value="1"/>	1000	INF

1 total