Cucumber Report

| Start : Feb 08, 9:40:29.381 AM	End : Feb 08, 9:41:53.724 AM	Duration : 1 m 24.343 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 15

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 24.343 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Check creating Bill against cancelled GRN is not allowed	23	7	1	15	1 m 24.335 s

(F)- AR/AP Module

FAILED	DURATION - 1 m 24.343 s	Scenarios		Steps	
/ 9:40:29.381 AM // 9:41:53.724 AM /		Total - 1		Total - 23	
		Pass - 0	1	Pass - 7	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Check creating Bill against cancelled GRN is not allowed

FAILED	DURATION - 1 m 24.335 s		Steps	
/ 9:40:29.389 AM // 9:41:53.724 AM /			Total - 23	
AR/AP Module			Pass - 7	23
			Fail - 1	
@KUBS_AR_AP_UAT_003_003_TC_05 @AR/AP			Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	58.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.625 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	2.717 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Good Recived Note GRN Eye buutton	PASSED	1.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.713 s
	screenshot		
4	And Click On Search Icon	PASSED	1.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
5	And Update the data set id for creating Bill against cancelled GRN	PASSED	0.501 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.586 s
	screenshot		
6	And Enter the GRN status	PASSED	0.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
7	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.529 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Get the Required Details	FAILED	0.266 s

	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ce870ccd94f8af8272d639c166ad360, isElementDisplayed {id=230fe573-2355-441a-ad41-1bae65b3b50f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53911}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53911/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1ce870ccd94f8af8272d639c166ad360)] -> xpath: //ion-col[2]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]] Session ID: 1ce870ccd94f8af8272d639c166ad360
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.AR_AP.get_the_required_details(AR_AP.java:85) at ?.Get the Required Details(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:300) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.299 s
9	Then Click on Item Details	SKIPPED	0.000 s
10	And Get PO Number	SKIPPED	0.000 s
11	Then Open Invoice Bill Booking Eye icon	SKIPPED	0.001 s
12	And Click Add icon button	SKIPPED	0.000 s
13	Then Enter the Invoice Type	SKIPPED	0.000 s
14	And Enter Business Partner Name	SKIPPED	0.002 s
15	Then Enter Cost Center value	SKIPPED	0.000 s
16	And Enter Supplier Referance Number	SKIPPED	0.000 s
17	And Enter Flat Discount Invoice Amount	SKIPPED	0.000 s
18	Then Give Mode of payment	SKIPPED	0.001 s
19	And Save the Invoice Bill Record	SKIPPED	0.001 s
20	Then Goto The Notification Icon	SKIPPED	0.000 s
21	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
22	Then Click on AP Invoice Against PO Tab	SKIPPED	0.001 s
23	And Enter The PO Number and Validate	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check creating Bill against cancelled
GRN is not allowed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check creating Bill against cancelled
GRN is not allowed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating Bill against cancelled GRN is not allowed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating Bill against cancelled GRN is not allowed

(F) AR/AP Module

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By
	Search Branch Code	Search GRN Number	Search Business Pa	Search Date	Search GRN Status	Search
👁 ✏	AZENTMAIN - Azentio N	GRN-Bank-9-86-2220:	Shasheekant	05-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-85-22:	Bonton Agency	05-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-84-30'	Bonton Agency	02-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Bank-9-83-3012(	Shasheekant	02-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Bank-9-82-3012(	Shasheekant	02-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Bank-9-81-30120	Shasheekant	02-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-80-30'	Bonton Agency	02-Dec-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-79-271	Bonton Agency	29-Nov-2022	ACTIVE	admin
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-78-271	Bonton Agency	28-Nov-2022	ACTIVE	adm

86 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating Bill against cancelled GRN is not allowed

(F) AR/AP Module

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By
	Search Branch Code	Search GRN Number	Search Business Pa	Search Date	CANCELLED	Search Cr
👁 ✏	AZENTMAIN - Azentio N	GRN-Bank-9-26-19202	Shasheekant	01-Sep-2023	CANCELLED	admin

1 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating Bill against cancelled GRN is not allowed

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check creating Bill against cancelled GRN is not allowed

(F) AR/AP Module