


FEATURES SUMMARY -- 2 --



| # | Feature Name     | T | P | F | S | Duration     |
|---|------------------|---|---|---|---|--------------|
| 1 | ACCOUNTS PAYABLE | 1 | 0 | 1 | 0 | 1 m 40.383 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name     | Scenario Name         | T  | P | F | S  | Duration     |
|---|------------------|-----------------------|----|---|---|----|--------------|
| 1 | ACCOUNTS PAYABLE | Bill(invoice) Booking | 18 | 0 | 0 | 18 | 1 m 40.236 s |

DETAILED SECTION -- 4 -

## (F)- ACCOUNTS PAYABLE

| FAILED         | DURATION - 1 m 40.383 s | Scenarios |   | Steps      |    |
|----------------|-------------------------|-----------|---|------------|----|
|                |                         | Total - 1 |   | Total - 18 |    |
| /5:21:00.317 A | M // 5:22:40.700 AM /   | Pass - 0  | 1 | Pass - 0   | 18 |
|                |                         | Fail - 1  |   | Fail - 0   |    |
|                |                         | Skip - 0  |   | Skip - 18  |    |

## (S)- Bill(invoice) Booking



| # | Step / Hook Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Status | Duration     |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
|   | BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | FAILED | 1 m 39.827 s |
|   | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: DevToolsActivePort file doesn't exist Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) at org.openqa.selenium.remote.RemoteWebDriver. | FAILED | 1 m 39.827 s |
|   | at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)</init></init></init>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |        |              |
|   | at org.openqa.seienium.ciiiome.ciiiomebiivei.\iiiit\(\circ\)(Ciiiomebiivei.java.41)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |        |              |

DETAILED SECTION -- 5 --

| #  | Step / Hook Details                                                                                                                                                            | Status  | Duration |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|
|    | at resources.BaseClass.initializeDriver(BaseClass.java:28)                                                                                                                     |         |          |
|    | at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)                                                                                                                 |         |          |
| 1  | Given User should go to the kubs url and login as a maker user                                                                                                                 | SKIPPED | 0.033 s  |
| 2  | And user should navigate to accounts payable menu                                                                                                                              | SKIPPED | 0.003 s  |
| 3  | When click on eye button of invoice booking                                                                                                                                    | SKIPPED | 0.001 s  |
| 4  | And click on add button for invoice booking                                                                                                                                    | SKIPPED | 0.001 s  |
| 5  | And Fill the required fields for invoice booking                                                                                                                               | SKIPPED | 0.000 s  |
| 6  | Then Save and submit the invoice billing                                                                                                                                       | SKIPPED | 0.001 s  |
| 7  | And User should go to the kubs url and login as a reviewer user                                                                                                                | SKIPPED | 0.001 s  |
| 8  | Then Click on notification button in reviewer                                                                                                                                  | SKIPPED | 0.000 s  |
| 9  | And approve the record by reviewer user                                                                                                                                        | SKIPPED | 0.000 s  |
| 10 | Given User should go to the kubs url and login as a checker user                                                                                                               | SKIPPED | 0.000 s  |
| 11 | And Click on security management in checker                                                                                                                                    | SKIPPED | 0.000 s  |
| 12 | Then Click on open pool in checker                                                                                                                                             | SKIPPED | 0.000 s  |
| 13 | And Click on claim button in checker                                                                                                                                           | SKIPPED | 0.001 s  |
| 14 | And capture claimed status                                                                                                                                                     | SKIPPED | 0.001 s  |
| 15 | Then click on notification in checker                                                                                                                                          | SKIPPED | 0.001 s  |
| 16 | Then checker should approved the contract record                                                                                                                               | SKIPPED | 0.001 s  |
| 17 | And system should show the prompt message                                                                                                                                      | SKIPPED | 0.011 s  |
| 18 | And checker logout                                                                                                                                                             | SKIPPED | 0.001 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)                                                                                                         | FAILED  | 0.038 s  |
|    | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) |         |          |