
Duration: 26.427 s Start: Jan 11, 12:55:44.930 PM End: Jan 11, 12:56:11.357 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 20 SKIPPED - 0 SKIPPED - 0 SKIPPED - 13 34 40 50 60 40 50 60 40 50 60 30 Pass 🕺 30 Pass % 70 30 Pass % 70 70 20 20 20 80 80 80 90 90 10 58 % 100 100

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | To check BudgetDefinition moduel feature | 1 | 0 | 1 | 0 | 26.427 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--|----|----|---|----|----------|
| 1 | To check BudgetDefinition moduel | To verify checker can approve the record which is approved | 34 | 20 | 1 | 13 | 26.419 s |
| | feature | by reviewer | | | | | |

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

| FAILED | DURATION - 26.427 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 34 | |
| / 12:55:44.930 P | PM // 12:56:11.357 PM / | Pass - 0 | 1 | Pass - 20 | 34 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 13 | |

(S)- To verify checker can approve the record which is approved by reviewer



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate to URL and login as a maker and choose finance option | PASSED | 9.641 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.385 s |
| | screenshot | | |
| | State of Space Controllars (State of Space Controllars (St | | |
| 2 | Then click on budget configuration Menu | PASSED | 0.277 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.209 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Description of the control of the co | | |
| 3 | And click on budget definition sub menu and click on eye icon | PASSED | 0.152 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.425 s |
| | screenshot | | |
| | Description | | |
| 4 | And click on add icon | PASSED | 0.150 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.325 s |
| | ** O STATE AND ADDRESS OF THE PROPERTY OF THE | | |
| 5 | Then enter budget code | PASSED | 0.152 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ################################### | PASSED | 0.150 s |
| | © Instances O Constances © Instances © In | | |
| 6 | And enter budget type | PASSED | 0.219 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.135 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ## Of the Process of | | |
| 7 | And enter warning percentage | PASSED | 0.080 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | screenshot | | |
| | Some time for the contraction of | | |
| 8 | And enter budget name | PASSED | 0.119 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| 9 | Then give remark | PASSED | 0.088 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.178 s |
| 10 | Then click on save button | PASSED | 0.053 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.336 s |
| | | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | Part Sept | | |
| 11 | Then Click on notification icon | PASSED | 0.122 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.387 s |
| | screenshot | | |
| | Processing Section (1997) The section of the section (1997) The sectio | | |
| 12 | And select the first record | PASSED | 0.138 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.248 s |
| 13 | Then click on submit button | PASSED | 0.122 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_Step - step - | PASSED | 0.163 s |
| 14 | And enter remark in alert tab | PASSED | 0.706 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.228 s |
| | 1 | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | # Description | | |
| 15 | And click on submit | PASSED | 0.050 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |
| | # O TANISHMENT OF THE PARTY OF | | |
| 16 | When click on submit button save the reviewer id | PASSED | 0.608 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | screenshot | | |
| | # Descriptions # Descriptions | | |
| 17 | Given navigate to URL and login as a reviewer | PASSED | 5.803 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.192 s |
| | screenshot | | |
| | The Street Stree | | |
| 18 | Then click on notification icon | PASSED | 0.157 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.233 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | | | |
| 19 | When click on notification icon to check reviewer can get a record which is submited by maker | PASSED | 0.081 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | screenshot | | |
| | ### 1 | | |
| 20 | And click on action button | PASSED | 0.054 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| | screenshot | | |
| | *** Of the control of | | |
| 21 | Then verify the budget record is matched with maker submited record | FAILED | 0.086 s |
| | org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cefb8aa3f519d24f10363c6f6a7236b8, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51433}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51433/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cefb8aa3f519d24f10363c6f6a7236b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) | | |


DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.KUBS_reviewer.verify_the_budget_record_is_matched_with_maker_submited_record(KUBS_reviewer.java:73) at ?.verify the budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:128) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.152 s |
| | screenshot | | |
| | The state of the s | | |
| 22 | And approve the record in reviewer stage | SKIPPED | 0.000 s |
| 23 | Then enter remark then submit | SKIPPED | 0.000 s |
| 24 | Given navigate to URL and login as a checker | SKIPPED | 0.000 s |
| 25 | Then click on security management menu | SKIPPED | 0.001 s |
| 26 | And click on Action icon in security management | SKIPPED | 0.000 s |
| 27 | Then clime the record | SKIPPED | 0.000 s |
| 28 | And click on notification icon in checker stage | SKIPPED | 0.000 s |
| 29 | When checker click on notification icon record might be showed in notification area | SKIPPED | 0.000 s |
| 30 | And click on action button in checker stage | SKIPPED | 0.000 s |
| 31 | Then validate the budget record | SKIPPED | 0.000 s |
| 32 | Then click on approve in checker stage | SKIPPED | 0.000 s |
| 33 | And Write remark in alert | SKIPPED | 0.000 s |
| 34 | And Submit the record from checker | SKIPPED | 0.000 s |


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --




EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --

