Cucumber Report

| Start : Sep 08, 12:37:48.808 AM	End : Sep 08, 12:38:25.357 AM	Duration : 36.549 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 16

Features: 1

Scenarios: 1

Steps: 24

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 29 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	36.549 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Create a purchase order with Unique purchase order number	24	7	1	16	36.544 s

## (F)- Check the Functionality of Inventory

FAILED	DURATION - 36.549 s	Scenarios		Steps	
		Total - 1		Total - 24	
/ 12:37:48.808 AM // 12:38:25.357 AM /		Pass - 0	1	Pass - 7	24
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Create a purchase order with Unique purchase order number

FAILED	DURATION - 36.544 s		Steps	
/ 12:37:48.813 AM // 12:38:25.357 AM /			Total - 24	
Check the Functionality of Inventory			Pass - 7	24
			Fail - 1	
@KUBS_INV_MGMT_UAT_001_003 @MultiAuth			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	12.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
2	And user should navigate to inventory management	PASSED	2.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of purchase requisition confirmation	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
4	Then click on first eye button to get the indent reference number	PASSED	2.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
5	Then Click on Account Payable	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
6	Then Click on purchase order Eye Icon	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on purchase order Add button	PASSED	0.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.298 s
8	Then Fill purchase order for inventory Mandatory fields	FAILED	12.305 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-checkbox color="primary" name="rowIndex" id="rowIndex" style="height: 100%; width: 143%;" ng-reflect-color="primary" ng-reflect-name="rowIndex" ng-reflect-checked="false" class="ng-star-inserted ion-color ion-color-primary ios interactive hydrated" aria-checked="false" role="checkbox">...</ion-checkbox> is not clickable at point (362, 395). Other element would receive the click: <ion-content class="ion-padding md hydrated" style="--offset-top:0px; --offset-bottom:0px;">...</ion-content> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [69897cf6b91fd9ac4a7325889f20683c, clickElement {id=de110b64-43a5-44d6-b66a-02dc3a003e3f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55725}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55725/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (69897cf6b91fd9ac4a7325889f20683c)] -> xpath: //ion-checkbox[@id='rowIndex']] Session ID: 69897cf6b91fd9ac4a7325889f20683c
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AccountPayable_VendorPurchaseOrder. Fill_purchase_order_for_inventory_Mandatory_fields(AccountPayable_VendorPurchaseOrder.java:676) at ?.Fill purchase order for inventory Mandatory fields(file:///C:/Users/inindc00091/git/ AzentioAutomationFramework_15072022/AzentioAutomationFramework/src/test/java/features/InventoryManageMent_Testing.feature:93) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.131 s
9	Then Click on Account Payable Save button	SKIPPED	0.001 s
10	Then Click on Item Details Record	SKIPPED	0.000 s
11	Then Edit the item details fields po	SKIPPED	0.000 s
12	Then Click on the item details save button po	SKIPPED	0.000 s
13	Then Click on Beneficiary details tab	SKIPPED	0.000 s
14	Then fill Beneficiary Details	SKIPPED	0.000 s
15	Then Click on Beneficiary Save button	SKIPPED	0.000 s
16	Then Click on Account Payable Notification	SKIPPED	0.000 s
17	Then Select the record from Notification	SKIPPED	0.000 s
18	And Submit the Selected record	SKIPPED	0.000 s
19	Then log in to the reviewer account	SKIPPED	0.000 s
20	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
21	Then log in to the Checker Account	SKIPPED	0.000 s
22	And then checker claim the record	SKIPPED	0.000 s
23	Then click on the checker Notification	SKIPPED	0.000 s
24	And select the record and Approve by checker	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a purchase order with Unique purchase order number	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a purchase order with Unique purchase order number	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a purchase order with Unique purchase order number

(F) Check the Functionality of Inventory