**Duration: 41.089 s** Start: Jan 09, 9:27:50.883 PM End: Jan 09, 9:28:31.972 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 3 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass / 70 20 20 20 80 80 80 90 90 10 55 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	41.089 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	5	1	3	41.071 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 41.089 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 9:27:50.883 PN	M // 9:28:31.972 PM /	Pass - 0	1	Pass - 5	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## **(S)-** Verify status for the receipt is auto changed to Deposit

FAILED DURATION - 41.071 s											Steps	
/ 9:27:50.901 PM // 9:28:31.972 PM /	20 -	 -									Total - 9	
AR/AP Module	10 -	 _									Pass - 5	9
@AR/AP	١.		<u> </u>		<u> </u>		<u> </u>		_		Fall - 1 Skip - 3	
@KUBS_AR_AP_UAT_010_002_TC_02_01	0 .	1	2	3	4	5	6	7	8	9	- Chaip	


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.009 s
	screenshot		
	PRODUCTION OF ANNUAL STATE OF		
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		
	THE REST OF THE PROPERTY OF TH		

#	Step / Hook Details	Status	Duration	
3	And goto accouts Receivable module	PASSED	2.511 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s	
	screenshot			
	THE PROPERTY OF THE PROPERTY O			
4	And goto accouts receipt module	PASSED	0.671 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.604 s	
	screenshot			
	+			
5	And click on Add Icon	PASSED	1.430 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.557 s	
	screenshot			
	Company   Comp			
6	And fill the all receipt mendatory details	FAILED	0.422 s	
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.fill_the_all_receipt_mendatory_details(ARAP_ClearingReceiptViaChequeMode. java:121) at ?.fill the all receipt mendatory details(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1056) * Not displayable characters are replaced by '?'.			


DETAILED SECTION -- 6 --


#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
	AZENTO  New year logal - tons linear - szenene ( )		
	Marie		
	Name		
	© Nove   1		
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.001 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 9 --

