


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | To check BudgetDefinition moduel feature | 1 | 1 | 0 | 0 | 33.846 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|---|----|----|---|---|----------|
| 1 | To check BudgetDefinition moduel | To verify checker can able to reject the budget code which is | 23 | 23 | 0 | 0 | 33.841 s |
| | <u>feature</u> | updated by reviewer | | | | | |

DETAILED SECTION -- 4

(F)- To check BudgetDefinition moduel feature

| PASSED | DURATION - 33.846 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 23 | |
| / 5:23:21.143 PM | 1 // 5:23:54.989 PM / | Pass - 1 | 1 | Pass - 23 | 23 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- To verify checker can able to reject the budget code which is updated by reviewer



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate to URL and login as a maker and choose finance option | PASSED | 10.426 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.501 s |
| | screenshot | | |
| | | | |
| 2 | Then click on budget configuration Menu | PASSED | 0.114 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.226 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Page 1 ppr - Manhania (Ministra) 0 0 - manhania (Ministra) 0 - manhania (Minis | | |
| 3 | And click on budget definition sub menu and click on eye icon | PASSED | 0.130 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.521 s |
| | screenshot | | |
| | # 0 200 (200 (200 (200 (200 (200 (200 (2 | | |
| 4 | Then search the budget code want to update | PASSED | 0.321 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.116 s |
| | screenshot | | |
| | PORTON DESCRIPTION | | |
| 5 | And select the budget code | PASSED | 0.088 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.303 s |
| | screenshot | | |
| | The state of the s | | |
| 6 | And update the budget code | PASSED | 3.221 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot | | |
| | · | · | - |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|--------------------|
| | ■ Constitution Page Pa | | |
| 7 | Then update the budget budget type | PASSED | 0.248 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | screenshot | | |
| | ** O NAME OF THE PARTY OF THE P | | |
| 8 | Then update warning percentage | PASSED | 0.147 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.159 s |
| 9 | Then update budget name | PASSED | 0.201 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.176 s |
| 10 | | PASSED | 0.236 s |
| 10 | Then update remark AETER, STER, standafinitions HooksClass addScreenshot(in cucumber java Scenario) | PASSED | 0.236 S 0.126 S |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.120 5 |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| | ## OF THE PROPERTY OF THE PRO | | |
| 11 | And click on save after update all the details | PASSED | 0.105 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.313 s |
| | screenshot | | |
| | | | |
| 12 | Then Click on notification icon | PASSED | 0.137 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.348 s |
| 13 | And select the first record | PASSED | 0.668 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.277 s |
| 14 | Then click on submit button | PASSED | 0.197 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.168 s |
| | screenshot | | |


| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED PASSED | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 And click on submit AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.164 s PASSED 6.164 s PASSED 6.165 s PASSED 6.165 s | | # O TOTAL CONTINUES OF TOTAL CON | | |
| Screenshot Scr | 15 | And enter remark in alert tab | PASSED | 0.829 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 70 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.212 s |
| After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AGSED AGSED | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.195 s 0.195 s 0.195 s | | © handers and the state of the | | |
| screenshot Type Men click on submit button save the reviewer id AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Big Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.164 s PASSED 0.095 s | 16 | And click on submit | PASSED | 0.053 s |
| When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Biguin and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.164 s PASSED 0.095 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.195 s |
| 17 When click on submit button save the reviewer id AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 6.164 s PASSED 0.095 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.164 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s | | | | |
| Screenshot ### Siven navigate to URL and login as a reviewer ### AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) #### PASSED | 17 | When click on submit button save the reviewer id | PASSED | 0.619 s |
| 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.095 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.205 s |
| 18 Given navigate to URL and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.095 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.095 s | | © Namerane | | |
| | 18 | Given navigate to URL and login as a reviewer | PASSED | 6.164 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.095 s |
| | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|--|--|--------|----------|
| 2 | Processing Processing Agency (and the control of th | | |
| 20 April | | | |
| 19 Th | hen click on notification icon | PASSED | 0.134 s |
| AF | FTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.330 s |
| SC | creenshot | | |
| in Co. | ** 100 00 100 00 00 00 00 00 00 00 00 00 0 | | |
| 20 W | /hen click on notification icon to check reviewer can get a record which is submited by maker | PASSED | 0.084 s |
| | FTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.149 s |
| SC | creenshot | 1 | |
| Notes the second | Part | | |
| | | | |
| | nd click on action button | PASSED | 0.048 s |
| _ | FTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.206 s |
| SC | creenshot | _ | |
| | *** A STATE OF THE | | |
| 22 Ar | nd reject the record in reviewer stage | PASSED | 0.130 s |
| AF | FTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| SC | creenshot | | |


DETAILED SECTION -- 10 --

| Step / Hook Details | Status | Duration |
|--|---|--|
| The Control of Control | | |
| Then enter remark then submit in reviewer stage | PASSED | 1.509 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.129 s |
| screenshot | | |
| # Processor Proc | | |
| | Then enter remark then submit in reviewer stage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | Then enter remark then submit in reviewer stage AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ################################### |


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --




EXPANDED SECTION -- 18 --




EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --





EXPANDED SECTION -- 22 --

