

# Cucumber Report

Feb 4, 2022, 12:41:43 AM

**Start : Feb 04, 12:40:20.884 AM**

**End : Feb 04, 12:41:42.848 AM**

**Duration : 1 m 21.964 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 1**

**SKIPPED - 4**







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	1	0	1	0	1 m 21.964 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	<u>Unique Inventory item code should be created</u>	15	10	1	4	1 m 21.961 s





**(F)- Checking the Inventory Maintenance functionality**



<b>FAILED</b>	<b>DURATION - 1 m 21.964 s</b>	Scenarios		Steps	
/ 12:40:20.884 AM // 12:41:42.848 AM /		Total - 1		Total - 15	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	


**(S)- Unique Inventory item code should be created**

<div>FAILED</div> <div>DURATION - 1 m 21.961 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 12:40:20.887 AM // 12:41:42.848 AM /</div>				
<div>Checking the Inventory Maintenance functionality</div>				
<div>@KUBS_INV_MGMT_UAT_002_003 @MultiAuth</div>				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
			
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Inventory Maintenance	PASSED	0.758 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
			
5	Then Click on Inventory Item Add button	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
			
6	Then Fill Inventory Item Mandatory fields	PASSED	2.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on Inventory Item Save button	PASSED	2.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.078 s
	screenshot		
			
8	Then Click on Inventory Item Notification	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
9	And Select Inventory Item and Submit the record	PASSED	8.842 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
			
10	Then log in to the reviewer account	PASSED	3.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>Then click on the Notification select the record and Approve</p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0d6a8cfed8d6c34d70dc42db1320b9f, findElement {using=xpath, value=//ion-button[@ng-reflect-router-link='/inbox']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..}, goog:chromeOptions: {debuggerAddress: localhost:63247}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63247/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0d6a8cfed8d6c34d70dc42db1320b9f     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)     at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)     at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre>	FAILED	47.151 s

#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryMaintenance_InventoryItem. click_on_the_notification_select_the_record_and_approve(InventoryMaintenance_InventoryItem.java:283) at ?.click on the Notification select the record and Approve(file:///C:/Users/inindc00089/git/repository/ Priyanka_AzentioAutomationFramework/src/test/java/features/InventoryMaintenance.feature:17) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0d6a8cfefd8d6c34d70dc42db1320b9f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension://efl...}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63247/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0d6a8cfefd8d6c34d70dc42db1320b9f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	4.012 s
12	Then log in to Checker Account	SKIPPED	0.000 s
13	And checker claim the record	SKIPPED	0.000 s
14	Then click on checker Notification	SKIPPED	0.001 s
15	And select the record and Approve by checker	SKIPPED	0.000 s
	<b>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0d6a8cfefd8d6c34d70dc42db1320b9f, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45	FAILED	0.243 s




#	Step / Hook Details	Status	Duration
	<p>(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63247}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63247/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0d6a8cfed8d6c34d70dc42db1320b9f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created


(F) Checking the Inventory Maintenance  
functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Actions	Branch Code	Branch Name	Currency Code	Transaction Date	Current Balance	Quantity	Reorder Level	Item Description
	BR0003	East Zone	INR	13-Jan-2022	100	10		Savings Bank
	AZENTMAIN	Azentio Main Branch	INR	22-Dec-2021	10	1		WHITE BOAR
	AZENTMAIN	Azentio Main Branch	INR	09-Dec-2021	200	1		Pay Order
	HO0001	Corporate Branch	INR	26-Nov-2021	479	1		STAPLERS
	AZENTMAIN	Azentio Main Branch	INR	26-Nov-2021	20	1		ENVELOPS
	AZENTMAIN	Azentio Main Branch	INR	25-Nov-2021	24	1		Fixed Deposit
	AZENTMAIN	Azentio Main Branch	INR	23-Nov-2021	50	1		White board M
	BR0003	East Zone	INR	23-Nov-2021	70	1		ATM Cards

11 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

\* Branch Code

Item Code

\* Item Description

\* Item Short Description

\* Instrument Code

Instrument Description

\* Currency Code

\* Reorder Level

\* Excess Level

\* Reorder Qty

\* Current Balance Quantity

QC Required

Fill Indicator

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

\* Branch Code

AZENTMAIN-Azentio Main Branch

Item Code

BOOKCHECK

\* Item Description

Book Chk

\* Item Short Description

Book Chk

\* Instrument Code

INV004-Traveller Check

Instrument Description

Traveller Check

\* Currency Code

INR

\* Reorder Level

1

\* Excess Level

10

\* Reorder Qty

1

\* Current Balance Quantity

50

QC Required

Fill Indicator

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Temp Grid

Actions	Entity Id	Item Code	Transaction Date	Currency Code	Current Balance	Quantity	Reorder Level	Item Descriptio
<input checked="" type="checkbox"/>	3	BOOKCHECK	04-Feb-2022	INR	50	1		Book Chk
<input checked="" type="checkbox"/>	3	BOOK	04-Feb-2022	INR	50	1		Book Check
<input checked="" type="checkbox"/>	3	CHECK	04-Feb-2022	INR	50	1		Check Book
<input checked="" type="checkbox"/>	3	TEST	03-Feb-2022	INR	1	1		test

4 total

success

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be  
created

(F) Checking the Inventory Maintenance  
functionality

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Temp Grid

Actions	Entity Id	Item Code	Transaction Date	Currency Code	Current Balance	Quantity	Reorder Level	Item Descriptio
<input checked="" type="checkbox"/>	3	BOOKCHECK	04-Feb-2022	INR	50	1		Book Chk
No data to display	3	BOOK	04-Feb-2022	INR	50	1		Book Check
<input checked="" type="checkbox"/>	3	CHECK	04-Feb-2022	INR	50	1		Check Book
<input checked="" type="checkbox"/>	3	TEST	03-Feb-2022	INR	1	1		test

4 total

success

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	35	INVENTORY_ITEM	MAKER	MAKER	1002435
✓	295	AP_BILL_BOOKING	MAKER	MAKER	1002435
✓	294	AP_BILL_BOOKING	MAKER	MAKER	1002435
✓	293	AP_BILL_BOOKING	MAKER	MAKER	1002435
✓	41	INST_CODE_MST	MAKER	MAKER	1002435

490 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

