

Cucumber Report

15 Mar 2023, 12:58:30 PM

Start : Mar 15, 12:24:24.152 PM

End : Mar 15, 12:58:29.282 PM

Duration : 34 m 5.130 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	34 m 5.130 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen	16	7	1	8	34 m 5.125 s

(F)- AR/AP Module


FAILED	DURATION - 34 m 5.130 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 7 Fail - 1 Skip - 8	
/ 12:24:24.152 PM // 12:58:29.282 PM /					

(S)- Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen

<div>FAILED</div> <div>DURATION - 34 m 5.125 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 8</div>	
<div>/ 12:24:24.157 PM // 12:58:29.282 PM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP @KUBS_AR_AP_UAT_003_006_TC_04</div>				


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	33.710 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.541 s
	screenshot		
			
2	Then select data set ID for Verify Cancelled Debit Note is not available for adjustment	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.405 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	2.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
			
4	And Click On Main module Accounts Receivable	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
5	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.591 s
	screenshot		
			
6	And Click On Search Icon	PASSED	0.949 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
			
7	Then Enter Cancelled Value In Debit Not Status	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>Then Click on Table Row First Eye Icon in ARAP</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.30', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f5a31f7c9324cd7efda09d3faa853e1, findElement {using=xpath, value=//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-button[1]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51209}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51209/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3f5a31f7c9324cd7efda09d3faa853e1</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.ARAP_AccountsPayableReport.click_on_table_row_first_eye_icon_in_arap(ARAP_AccountsPayableReport.java:141)</p>	FAILED	33 m 20.232 s

#	Step / Hook Details	Status	Duration
	<p>at ?.Click on Table Row First Eye Icon in ARAP(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_AccountsReceivable.feature:12)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.65) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.30', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f5a31f7c9324cd7efda09d3faa853e1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:51209}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51209/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3f5a31f7c9324cd7efda09d3faa853e1 atjdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>	FAILED	0.004 s
9	And Store The Business partner and Invoice Number	SKIPPED	0.001 s
10	And Click On Main module Accounts payable	SKIPPED	0.000 s
11	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
12	And Click Add icon button	SKIPPED	0.001 s
13	Then Enter payment option	SKIPPED	0.000 s
14	And Give Business partner Name	SKIPPED	0.001 s
15	Then Choose value date as System current date	SKIPPED	0.000 s
16	And find the invoice reference number for cancelled DebitNote is availabe at the billing queue	SKIPPED	0.000 s
	<p>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p>connected to DevTools) (Session info: chrome=111.0.5563.65) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.30', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f5a31f7c9324cd7efda09d3faa853e1, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:51209}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51209/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3f5a31f7c9324cd7efda09d3faa853e1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen</u></p>	
<p><u>(F) AR/AP Module</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Cancelled Debit Note is not
available for adjustment at Payment
Settlement screen

(F) AR/AP Module

AZENTIO
ONEBanking


Finance

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management


22 Appro... 11 Mess...

22-Jan-2023 English Azentio Software (AZENTMAIN) ANANT


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Cancelled Debit Note is not
available for adjustment at Payment
Settlement screen

(F) AR/AP Module

AZENTIO
ONEBanking

Accounts receivable (Debit notes)


Credit notes on invoice

Accounts


22 Appro... 11 Mess...

22-Jan-2023 English Azentio Software (AZENTMAIN) ANANT


Product Wise Amount Finance



sub-product-wise-amount-financed




scheme-wise-amount-financed



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Cancelled Debit Note is not
available for adjustment at Payment
Settlement screen

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Cancelled Debit Note is not
available for adjustment at Payment
Settlement screen

(F) AR/AP Module

The screenshot displays the AZENTIO ONEBanking interface. On the left is a sidebar menu with options: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Accounts receivable (Debit notes), Credit notes on invoice, and Accounts. The main area shows the "Debit Note View" table:

Actions	Branch Code - Name	Receivable Name	Debit Number	Debit Date	Legal Entity Code	Branch ID
	AZENTMAIN - Azentio	SOA	DN-7-2722023	01-Jan-2023	Azentio_Soft	3
	AZENTMAIN - Azentio	Return	DN-6-822023	11-Dec-2022	Azentio_Soft	3
	AZENTMAIN - Azentio	Return	DN-5-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio	Return	DN-4-11102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio	SOA	DN-3-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio	SOA	DN-2-6102022	10-Sep-2023	Azentio_Soft	3
	AZENTMAIN - Azentio	SOA	DN-1-6102022	10-Sep-2023	Azentio_Soft	3
7 total						

(F) AR/AP Module

The screenshot displays the Azentio ONEBanking application interface. On the left is a dark blue sidebar menu with icons and labels for various accounting functions: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Accounts receivable (Debit notes) [selected], Credit notes on invoice, and Accounts. At the top right of the main area, there's a header bar containing the date "22-Jan-2023", language "English", software version "Azentio Software", user identifier "(AZENTMAIN)", and a profile icon labeled "ANANT". The central part of the screen shows the "Debit Note View" page. It features a table with columns: Item Name, Debit Number, Debit Date, Legal Entity Code, Branch ID, Txn Status, and a final column with the value "CANCELLED". Below the table are search input fields corresponding to each column header. The bottom status bar shows two notifications: "22 Appro..." and "11 Mess...".

Item Name	Debit Number	Debit Date	Legal Entity Code	Branch ID	Txn Status	
Receivable ↑	Search Debit Numbr	Search Debit Date	Search Legal Entity	Search Branch ID	Search Txn Status	CANCELLED