Cucumber Report

Start : Mar 02, 10:37:30.451 AM	*End : Mar 02, 10:38:16.135 AM*	*Duration : 45.684 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 3

#	Feature Name	T	P	F	S	Duration
1	*ACCOUNTS RECEIVABLE*	1	0	1	0	45.684 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	Cancel receipt appropriation through Online Mode	12	8	1	3	45.678 s

(F)- ACCOUNTS RECEIVABLE

FAILED	DURATION - 45.684 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 10:37:30.451 AM // 10:38:16.135 AM /		Pass - 0	1	Pass - 8	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Cancel receipt appropriation through Online Mode

FAILED	DURATION - 45.678 s		Steps	
/ 10:37:30.457 AM // 10:38:16.135 AM /			Total - 12	
ACCOUNTS RECEIVABLE			Pass - 8	12
@KUBS_AR/AP_UAT_011_002_TC_02			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	15.963 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.239 s
	screenshot		
2	And user should navigate to accounts receivable menu	PASSED	1.017 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of receipts	PASSED	0.617 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.679 s
	screenshot		
4	Then get the txn number	PASSED	1.947 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
5	When click on eye button of receipts reversals	PASSED	0.875 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
6	And click on add button for cancel receipt	PASSED	0.473 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Fill the required fields to cancel the receipts through online mode	PASSED	0.821 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
	screenshot		
8	Then save the record to cancel the receipts	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
9	And select the record actions button	FAILED	0.056 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.isDisplayed()" because "element" is null
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	    at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	    at stepdefinitions.AccountsReceivable_ReceiptsReversals.select_the_record_actions_button(AccountsReceivable_ReceiptsReversals.java:114)
	    at ?.select the record actions button(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/AccountsReceivable_ReceiptsReversals.feature:14)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.608 s

#	Step / Hook Details	Status	Duration
	screenshot 		
10	Then click on initiate the record	SKIPPED	0.000 s
11	And record status	SKIPPED	0.001 s
12	And select the record pencil icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cancel receipt appropriation through Online Mode	
(F) ACCOUNTS RECEIVABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Cancel receipt appropriation through Online Mode	
(F) ACCOUNTS RECEIVABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE