Cucumber Report

| Start : Mar 23, 1:15:19.934 PM	End : Mar 23, 1:16:07.697 PM	Duration : 47.763 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 7

Features: 1

Scenarios: 1

Steps: 16

Pass %: 0 %

Pass %: 0 %

Pass %: 50 %

#	Feature Name	T	P	F	S	Duration
1	<u>AR/AP Module</u>	1	0	1	0	47.763 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify cancelled advances is not available for payment settlement	16	8	1	7	47.755 s

(F)- AR/AP Module

FAILED	DURATION - 47.763 s	Scenarios		Steps	
/ 1:15:19.934 PM // 1:16:07.697 PM /		Total - 1	1	Total - 16	16
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Verify cancelled advances is not available for payment settlement

FAILED	DURATION - 47.755 s		Steps	
/ 1:15:19.942 PM // 1:16:07.697 PM /			Total - 16	16
AR/AP Module			Pass - 8	
@AR/AP @KUBS_AR/AP_UAT_003_008_TC_02_01			Fail - 1	
			Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	28.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.658 s
	screenshot		
2	Then select data set ID for verify cancelled advance is not available for payment settlement	PASSED	0.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	2.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
4	And Goto accounts receivable advances module	PASSED	2.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.666 s
	screenshot		
5	Then click on search	PASSED	0.754 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
6	And select one record from advances	PASSED	1.055 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
7	Then go to ar ap adjustment module	PASSED	1.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.693 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And click on Add Icon	PASSED	1.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
	screenshot		
9	And Fill The form for advance adjustment	FAILED	2.443 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1255, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=111.0.5563.110) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.229', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [39bad30e27fc5763279768e45af89c17, clickElement {id=76adff94-398b-4750-9997-ef3308859d37}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.110, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62891}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62891/devtoo..., se:cdpVersion: 111.0.5563.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (39bad30e27fc5763279768e45af89c17)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 39bad30e27fc5763279768e45af89c17
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.CancellationOfAdvanceToEmployees.fill_the_form_for_advance_adjustment(CancellationOfAdvanceToEmployees.java:324) at ?.Fill The form for advance adjustment(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_AccountsReceivable.feature:400) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.209 s
10	And click notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record in GRN stage	SKIPPED	0.000 s
12	And click on Submit button	SKIPPED	0.001 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

AZENTIO
ONEBanking

22-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting And Billing Hub ⊙

Amlock ○

Configuration ○

Corporate ○

Finance ⊙

LOS ○

An error occurred.

22 Appro... ⊗   11 Mess... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

AZENTIO
ONEBanking

22-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

⚙ ⤨ ◷

❯ Business partner setup

❯ General ledger configuration

❯ Accounting setup

❯ Expense/AR & AP configurat...

❯ Budget configuration

❯ Fixed assets configuration

❯ Inventory maintenance

An error occurred.

22 Appro... ⊗   11 Mess... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

Actions		Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date
👁	✎	AZENTMAIN - Azentio N	Advance To Employee	ADV_42_1332023		100	19-Jan-2
👁	✎	AZENTMAIN - Azentio N	Advance Against PO	ADV_41_532023	DELUXE 001	20	08-Jan-2
👁	✎	AZENTMAIN - Azentio N	Advance To Employee	ADV_40_532023		50	08-Jan-2
👁	✎	AZENTMAIN - Azentio N	Advance Against PO	ADV_39_532023	DELUXE 001	20	08-Jan-2
👁	✎	AZENTMAIN - Azentio N	Advance To Employee	ADV_38_532023		50	08-Jan-2
👁	✎	AZENTMAIN - Azentio N	Advance To Employee	ADV_37_1322023		10	17-Dec-2
👁	✎	AZENTMAIN - Azentio N	Advance To Employee	ADV_36_1122023		10	15-Dec-2
👁	✎	AZENTMAIN - Azentio N	Advance To Employee	ADV_35_1122023		10	15-Dec-2
👁	✎	AZENTMAIN - Azentio N	Advance Against PO	ADV_34_922023	Bonton Agency	10	13-D

42 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

Numbe	BP Name	Amount	Date	ADV Status	Txn Status	Txn Date
	Search BP Name	Search Amount	Search Date	Active	Search Txn Status	Search Txn Date
2023		100	19-Jan-2023	Active	Approved	13-Mar-2023
)23	DELUXE 001	20	08-Jan-2023	Active	Approved	05-Mar-2023
)23		50	08-Jan-2023	Active	Approved	05-Mar-2023
)23	DELUXE 001	20	08-Jan-2023	Active	Approved	05-Mar-2023
)23		50	08-Jan-2023	Active	Approved	05-Mar-2023
2023		10	17-Dec-2022	Active	Approved	13-Feb-2023
2023		10	15-Dec-2022	Active	Approved	11-Feb-2023
2023		10	15-Dec-2022	Active	Approved	11-Feb-2023
2022	DELUXE 001	20	31-Dec-2023	Active	Approved	24-Nov-2022

|◀ ◀ **1** 2 3 ▶ ▶|

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify cancelled advances is not available for payment settlement	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify cancelled advances is not available for payment settlement

(F) AR/AP Module

AZENTIO
ONEBanking

22-Jan-2023   English ▾   Azentio Software ▾   (AZENTMAIN)   ✉   >_   ⊙ ANANT

Finance ▾

⚙   ⤬   ◔

❯ General ledger transaction

❯ Budget

❯ Accounts payable

⌄ Adjustments (AR and AP)

AR and AP adjustments   🕐 ☑ 🗑

❯ Accounts receivable

❯ Fixed assets

22 Appro... ✕   11 Mess... ✕

← Adjustment Module   💾

* Bp Name
Shasheekant   ✕ ▾

*Transaction Date
22-Jan-2023   📅

*Value Date
22-Jan-2023   📅

Adjustment Code

* Adjustment Type
Cancellation   ✕ ▾

* Adjustment Items Type
AR Advances   ✕ ▾

* Adjustment Reference
ADV_42_1332023   ✕ ▾

No items found

* Cancellation Amount

Remarks

Active   ▾