
Duration: 34 m 52.567 s Start: Feb 08, 3:24:43.017 AM End: Feb 08, 3:59:35.584 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 13 21 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 33 % 100 100

FEATURES SUMMARY -- 2 --



| # | # | Feature Name         | T | P | F | S | Duration      |
|---|---|----------------------|---|---|---|---|---------------|
| 1 | 1 | INVENTORY MANAGEMENT | 1 | 0 | 1 | 0 | 34 m 52.567 s |

SCENARIOS SUMMARY




| # | Feature Name         | Scenario Name | T  | P | F | S  | Duration      |
|---|----------------------|---------------|----|---|---|----|---------------|
| 1 | INVENTORY MANAGEMENT | Purchase      | 21 | 7 | 1 | 13 | 34 m 52.553 s |

DETAILED SECTION -- 4 --

## (F)- INVENTORY MANAGEMENT

| FAILED          | DURATION - 34 m 52.567 s | Scenarios |   | Steps      |    |
|-----------------|--------------------------|-----------|---|------------|----|
|                 |                          | Total - 1 |   | Total - 21 |    |
| / 3:24:43.017 A | M // 3:59:35.584 AM /    | Pass - 0  | 1 | Pass - 7   | 21 |
|                 |                          | Fail - 1  |   | Fail - 1   |    |
|                 |                          | Skip - 0  |   | Skip - 13  |    |

## (S)- Purchase



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user                   | PASSED | 26.939 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.521 s  |
|   | screenshot   |        |          |
|   | © ■  |        |          |
| 2 | And user should navigate to inventory management                                 | PASSED | 0.992 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.802 s  |
|   | screenshot   |        |          |

| 3 When click on eye button of purchase requisition confirmation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  4 And click on add button of purchase requisition confirmation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | # | Step / Hook Details  | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on add button of purchase requisition confirmation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   |   |  |        |          |
| screenshot  4 And click on add button of purchase requisition confirmation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | 3 | When click on eye button of purchase requisition confirmation  | PASSED | 0.420 s  |
| 4 And click on add button of purchase requisition confirmation PASSED 0.781 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.431 s  screenshot PASSED 1.431 s  And Fill the required fields to purchase req PASSED Screenshot (io.cucumber.java.Scenario) PASSED 0.604 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.466 s  Screenshot PASSED 0.466 s   |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 1.124 s  |
| 4 And click on add button of purchase requisition confirmation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   |   | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   |   |  |        |          |
| Screenshot  5 And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### PASSED 0.604 s  PASSED 0.466 s   | 4 | And click on add button of purchase requisition confirmation   | PASSED | 0.781 s  |
| 5 And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ### AFTER_ST |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 1.431 s  |
| 5 And Fill the required fields to purchase req  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ### AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java. |   | 100   200    | _      |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot    PASSED   0.466 s   | _ |  | DACCED | 0.004.0  |
| Screenshot    Particulation    | 5 | ·  |        |          |
| ### Section  |   |  | PASSED | 0.400 5  |
|  |   | Total State Control Co | _      |          |
| 6 Then Save and submit the purchase req confirmation PASSED 8.997 s  | 6 | Then Save and submit the purchase req confirmation   | PASSED | 8.997 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.254 s  |   |  | PASSED | 0.254 s  |
| screenshot   |   | screenshot   | ]      |          |


| # | Step / Hook Details  | Status | Duration      |
|---|--|--------|---------------|
|   | ## OF CONTRACTORS   100  |        |               |
| 7 | And User should go to the kubs url and login as a reviewer user  | PASSED | 9.358 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.507 s       |
|   | screenshot   |        |               |
|   | The state of the s |        |               |
| 8 | Then Click on notification button in reviewer  | FAILED | 33 m 25.590 s |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70f83834ced8c975293860db9117b48d, findElement {using=xpath, value=//ion-buttons[2]/ion-button[2]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromed; (chromedriverVersion: 96.0.4664.45, ('Ge4c1bb2ab46, userDataDir: C:\Users\NINIDC=1\AppDataL), goog:chromeOptions: {debuggerAddress: localhost:62456}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://llocalbost:62456/devto, se.cdpVersion: 96.0.4664.45, setWindowset: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70f83834ced8c975293860db9117b48d at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.RemoteWebDriver.java:647) at org.openqa.selenium.remote.RemoteWebDriver.demoteWebDriver.java:547) at o           |        |               |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. click_on_notification_button_in_reviewer(ACCOUNTSPAYABLE_VendorContracts.java:263) at ?.Click on notification button in reviewer(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation.feature:14) * Not displayable characters are replaced by '?'.   |         |          |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | FAILED  | 0.243 s  |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70f83834ced8c975293860db9117b48d, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\IN\INDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:62456}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62456/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70f83834ced8c975293860db9117b48d  at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) |         |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  |         |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java.547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java.602)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)   |         |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)   |         |          |
|   |   |         |          |
| 9 | And approve the record by reviewer user   | SKIPPED | 0.020 s  |


DETAILED SECTION -- 8 --

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
| 11 | And Click on security management in checker   | SKIPPED | 0.000 s  |
| 12 | Then Click on open pool in checker  | SKIPPED | 0.016 s  |
| 13 | And Click on claim button in checker  | SKIPPED | 0.001 s  |
| 14 | And capture claimed status  | SKIPPED | 0.000 s  |
| 15 | Then click on notification in checker   | SKIPPED | 0.001 s  |
| 16 | Then checker should approved the contract record  | SKIPPED | 0.000 s  |
| 17 | Given User should go to the kubs url and login as a maker user  | SKIPPED | 0.000 s  |
| 18 | And user should navigate to inventory management  | SKIPPED | 0.000 s  |
| 19 | When click on eye button of purchase requisition confirmation   | SKIPPED | 0.000 s  |
| 20 | Then click on first eye button to get the indent reference number   | SKIPPED | 0.000 s  |
| 21 | And maker should logout   | SKIPPED | 0.000 s  |
| 21 | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)  | FAILED  | 4.295 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70/83834ced8c975293860db9117b48d, close {}} (Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (pavascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WiNDOWS, platformName: WiNDOWS, proxy: Proxy(), se:cdp: ws://localhost:62456/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 70/83834ced8c975293860db9117b48d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:233) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at |         |          |


EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT

