Cucumber Report

| *Start : Feb 17, 1:32:21.749 pm*	*End : Feb 17, 1:32:46.600 pm*	*Duration : 24.851 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 23

Features: 1

Scenarios: 1

Steps: 36

Pass % gauges: 0 %, 0 %, 33 %

| #	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	1	0	1	0	24.851 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	Create an amendment to modify an asset for capitalization date	36	12	1	23	24.844 s

(F)- Check the Functionality of the Fixed Assets

FAILED	DURATION - 24.851 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 1:32:21.749 pm // 1:32:46.600 pm /		Pass - 0	1	Pass - 12	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

## (S)- Create an amendment to modify an asset for capitalization date

FAILED	DURATION - 24.844 s		Steps	
/ 1:32:21.756 pm // 1:32:46.600 pm /			Total - 36	
Check the Functionality of the Fixed Assets			Pass - 12	36
			Fail - 1	
@KUBS_FAT_UAT_011_001			Skip - 23	

#	Step / Hook Details	Status	Duration
1	Given Lauch The Azentio Url	PASSED	13.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
2	Then Click Second Segment Icon	PASSED	0.864 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on fixed Asset Module	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
4	Then click on Asset creation Eye icon	PASSED	0.731 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
	screenshot		
5	And Click to view First record and store RefNo	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
6	Then Click on Asset Ammendent submodule Eye Icon	PASSED	0.804 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Click on Add Icon	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
8	Then Enter Asset Referance Number	PASSED	0.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
9	And Enter Asset Item Number	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
10	Then Choose Modification Type Which we need	PASSED	0.386 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click on calender Icon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
12	And Choose a current date in calender	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
13	Then Save the Asset Record	FAILED	1.114 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated" ng-reflect-disabled="false">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f0444aba41e11d3d9cbfa131c0c747b8, clickElement {id=5ccb5a38-d151-491c-a96b-e2be4277a8a5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55156}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55156/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f0444aba41e11d3d9cbfa131c0c747b8)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: f0444aba41e11d3d9cbfa131c0c747b8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetAmendment.save_the_asset_record(FIXEDASSET_AssetAmendment.java:179) at ?.Save the Asset Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetAmendment.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.117 s
14	And Click on Maker Notification	SKIPPED	0.000 s
15	Then Select Saved record and click on action icon	SKIPPED	0.000 s
16	And Submit the Asset record to Reviewer	SKIPPED	0.000 s
17	Given Launch the Azentio Reviewer Page	SKIPPED	0.000 s
18	And Click the Reviewer Notification icon	SKIPPED	0.000 s
19	Then Click the submitted record from maker	SKIPPED	0.000 s
20	And Click the Approve icon from Reviewer End	SKIPPED	0.000 s
21	Then Enter the remark and submit the Record	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
22	Given Launch the Azentio Checker page	SKIPPED	0.000 s
23	Then Click the Security management module	SKIPPED	0.000 s
24	And Click the open pool Edit icon	SKIPPED	0.000 s
25	Then Claim the record Approved from Reviewer	SKIPPED	0.000 s
26	And Click the Checker Notification icon	SKIPPED	0.000 s
27	Then Click the Action Icon from claimed record	SKIPPED	0.000 s
28	And Click on Approve icon	SKIPPED	0.000 s
29	Then Submit the Record from Checker End	SKIPPED	0.000 s
30	Given Lauch The Azentio Url	SKIPPED	0.000 s
31	Then Click Second Segment Icon	SKIPPED	0.000 s
32	And Click on fixed Asset Module	SKIPPED	0.000 s
33	Then Click on Asset Ammendent submodule Eye Icon	SKIPPED	0.000 s
34	And Click the search icon	SKIPPED	0.001 s
35	Then Enter the Asset Referance No	SKIPPED	0.000 s
36	When capture the Asset Grid view	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify an asset for capitalization date	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify an asset for capitalization date	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify an asset for capitalization date

(F) Check the Functionality of the Fixed Assets

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify an asset for capitalization date

(F) Check the Functionality of the Fixed Assets

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify an asset for capitalization date	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify an asset for capitalization date	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify an
asset for capitalization date

(F) Check the Functionality of the Fixed
Assets

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify an
asset for capitalization date

(F) Check the Functionality of the Fixed
Assets

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify an asset for capitalization date	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify an asset for capitalization date	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify an
asset for capitalization date

(F) Check the Functionality of the Fixed
Assets

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify an
asset for capitalization date

(F) Check the Functionality of the Fixed
Assets

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create an amendment to modify an asset for capitalization date

(F) Check the Functionality of the Fixed Assets