


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration      |
|---|--------------|---|---|---|---|---------------|
| 1 | FIXED ASSETS | 1 | 0 | 1 | 0 | 51 m 51.188 s |




| # | Feature Name | Scenario Name  | T  | P | F | S  | Duration      |
|---|--------------|----------------|----|---|---|----|---------------|
| 1 | FIXED ASSETS | Asset Creation | 16 | 5 | 1 | 10 | 51 m 51.182 s |

DETAILED SECTION -- 4 --

## (F)- FIXED ASSETS

| FAILED          | DURATION - 51 m 51.188 s | Scenarios |   | Steps      |    |
|-----------------|--------------------------|-----------|---|------------|----|
|                 |                          | Total - 1 |   | Total - 16 |    |
| / 3:34:54.806 A | M // 4:26:45.994 AM /    | Pass - 0  | 1 | Pass - 5   | 16 |
|                 |                          | Fail - 1  |   | Fail - 1   |    |
|                 |                          | Skip - 0  |   | Skip - 10  |    |

## (S)- Asset Creation



| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user   | PASSED | 22.032 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.839 s  |
|   | screenshot   |        |          |
|   | FOR COLUMN AND THE CO |        |          |
| 2 | And user should navigate to fixed asset menu   | PASSED | 0.694 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.328 s  |
|   | screenshot   |        |          |


| # | Step / Hook Details  | Status | Duration      |
|---|--|--------|---------------|
|   |  |        |               |
| 3 | When click on eye button of asset creation   | PASSED | 0.847 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot   **Texage: The control of the co | PASSED | 0.525 s       |
| 4 | And click on add button to create asset record   | PASSED | 0.612 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.581 s       |
|   | Screenshot   |        |               |
| 5 | And Fill the required fields to create asset   | PASSED | 2.070 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot   **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Tex_stepdefinitions.HooksClass.addScreenshot(io.c | PASSED | 0.333 s       |
| 6 | Then Save and submit the asset creation record   | FAILED | 50 m 39.437 s |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eb074606e291a61fc73107d12a83821, findElement {using=xpath, value=//ion-row[3]/ion-col[1]/app-kub-date-time/ion-item/div/span/ion-icon}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion:  |        |               |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| # | 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\IN\IN\DC-1\AppData\L   | Status | Duration |
|   | * Not displayable characters are replaced by '?'.   |        |          |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | FAILED | 5.440 s  |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eb074606e291a61fc73107d12a83821, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56349}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56349/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss |        |          |


| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3eb074606e291a61fc73107d12a83821 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.LttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)  |         |          |
| 7  | And User should go to the kubs url and login as a reviewer user  | SKIPPED | 0.001 s  |
| 8  | Then Click on notification button in reviewer  | SKIPPED | 0.000 s  |
| 9  | And approve the record by reviewer user  | SKIPPED | 0.000 s  |
| 10 | Given User should go to the kubs url and login as a checker user   | SKIPPED | 0.129 s  |
| 11 | And Click on security management in checker  | SKIPPED | 0.000 s  |
| 12 | Then Click on open pool in checker   | SKIPPED | 0.001 s  |
| 13 | And Click on claim button in checker   | SKIPPED | 0.000 s  |
| 14 | And capture claimed status   | SKIPPED | 0.001 s  |
| 15 | Then click on notification in checker  | SKIPPED | 0.001 s  |
| 16 | Then checker should approved the asset creation record   | SKIPPED | 0.000 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)   | FAILED  | 5.590 s  |
|    | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3eb074606e291a61fc73107d12a83821, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56349}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56349/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3eb074606e291a61fc73107d12a83821 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) |         |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)                      |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)                                |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)          |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)           |        |          |
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)                     |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)         |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)                             |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)                             |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)                             |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)                               |        |          |
|   | at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)  |        |          |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

