Cucumber Report

| Start : Feb 07, 3:59:39.608 pm	End : Feb 07, 3:59:59.308 pm	Duration : 19.700 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 16

Features: 1

Scenarios: 1

Steps: 25

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 32 %

#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	19.700 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	Check inventory stock confirmation	25	8	1	16	19.694 s

(F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 19.700 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 25 Pass - 8 Fail - 1 Skip - 16	
/ 3:59:39.608 pm // 3:59:59.308 pm /					

(S)- Check inventory stock confirmation

FAILED	DURATION - 19.694 s		Steps Total - 25 Pass - 8 Fail - 1 Skip - 16	
/ 3:59:39.614 pm // 3:59:59.308 pm /				
Check unwanted inventory stock can be return to the Branch				
@KUBS_INV_MGMT_UAT_004_StockConfirm				

#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	11.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Inventory Management Module	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
4	Then Click on Inventory stock confirmation eye icon	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
5	And Sub module Inventory stock confirmation click Add icon	PASSED	0.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
6	Then Enter Request Referance Number	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And Enter Item code Number	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
8	Then Accept the status in checkbox	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
9	And click the save icon for StockConfirm	FAILED	1.165 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [61909d9be7aa679843463763a56fb15a, clickElement {id=725d33a7-1138-4a55-83b5-9345d683d566}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58210}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58210/devtoo..., se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (61909d9be7aa679843463763a56fb15a)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 61909d9be7aa679843463763a56fb15a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_StockReturnBranch.click_the_save_icon_for_stockconfirm(INVENTORY_StockReturnBranch.java:424) at ?.click the save icon for StockConfirm(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:43) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot 		
10	And goto maker Notification icon	SKIPPED	0.000 s
11	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
12	And Give Remark and submit to reviewer	SKIPPED	0.001 s
13	Given Login As Reviewer	SKIPPED	0.000 s
14	And Goto Reviewer Notification	SKIPPED	0.001 s
15	Then open the submitted Record from maker	SKIPPED	0.000 s
16	And Approve the Record in Reviewer	SKIPPED	0.001 s
17	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Given Login As Checker	SKIPPED	0.000 s
19	Then Click Security management module	SKIPPED	0.000 s
20	And Click Sub module open Pool Edit icon	SKIPPED	0.000 s
21	And Claim the submitted Record	SKIPPED	0.000 s
22	Then Goto Checker Notification	SKIPPED	0.001 s
23	And Open the Record Approve from Reviewer	SKIPPED	0.001 s
24	And Approve the Record in Checker End	SKIPPED	0.000 s
25	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

| ☰ | 🌐 Kastle Universal Banking (Beta) | 03-Oct-2022 English ▾ | Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 ANANT |

Finance ▾

🔧   🚩   📋

Welcome, anant

⊙ Business partner setup
⊙ General ledger configuration
⊙ Accounting setup
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

| ☰ | 🌐 Kastle Universal Banking (Beta) | 03-Oct-2022 English ▾ | Azentio Software ▾ (AZENTMAIN) 🔔 ▶ 👤 ANANT |

Finance ▾

🔧   🚩   📋

Welcome, anant

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon

22 Appro... ✕   11 Messa... ✕

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch